

RICHARD W. BARSTOW

Drakewalls House, Drakewalls,
Gunnislake, Cornwall, England.

Tel.No. Gunnislake 832381
(STD 0822)

V.A.T. No.: 132-7852-67

ORDERING INFORMATION

Mail orders are promptly filled and despatched on a 7-day examination basis, subject to approval. Immediate refund guaranteed on return of the specimen(s), in good condition.

Please quote the name and number of the specimen(s) required, and enclose P.O./Cheque with order. All prices are inclusive of V.A.T.

No charge is made for postage and packing, except for overseas customers and postage over 75p.

We reserve the right to make slight substitutions, if necessary, unless advised to the contrary.

Special requests and "wants lists" are welcome.

We hope that we may be of some service to you, and assure you of our best attention at all times.

AUGUST 1978

1. ALMANDINE GARNET. Zillertal, Tyrol, Austria. Select lustrous deep reddish well formed crystals to over $\frac{1}{2}$ " in size scattered on and embedded in chlorite schist. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ". £7.00
2. ALVITE. Koeskul, Arendal, Norway. Small dark brownish resinous masses scattered in pinkish feldspar with blackish plates of biotite mica. 2×2 ". £1.50p.
3. APATITE. Panasqueira, Beira-Beixa, Portugal. Choice transparent light greenish sharp hexagonal crystals to $\frac{1}{4}$ " in size richly scattered over crystallised muscovite mica matrix. $2\frac{1}{2} \times 2\frac{1}{4}$ ". £14.00.
4. APOPHYLLITE. Pagna, Nr. Bombay, India. Specimen A: Choice lustrous creamy-white sharp crystals to $\frac{1}{4}$ " in size thickly intergrown on matrix with a little creamy radiated crystallised Laumontite. $3\frac{1}{4} \times 2\frac{1}{2} \times 2$ ", £8.00. Specimen B: Fine sharp translucent creamy-white crystal $1\frac{1}{4}$ " in size perched on matrix with a little creamy crystallised Heulandite. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £6.50p.
5. APOPHYLLITE. Usti über Labem, Bohemia, C.S.S.R. Lustrous creamy-white sharp crystals mostly around 4-5 mm in size completely covering basalt matrix. $4 \times 3 \times 1\frac{1}{4}$ ", £5.50p.
6. ARAGONITE. Rowrah, West Cumberland. Fine creamy-white sharp spear-like crystals to $\frac{3}{4}$ " in length intergrown and free-standing on limonitic matrix. $3 \times 1\frac{1}{2} \times 1$ ". £5.50p.
7. AXINITE. Botallack Head, St. Just, Cornwall. Select bright sharp clove brown well terminated single crystals, ranging in size from $\frac{1}{2}$ - $\frac{3}{4}$ ". Priced according to size and perfection from £0.40p. to £1.25p each.
8. AZURITE. Tsumeb, Otavi, S.W. Africa. Select blue well formed terminated tabular crystals to $\frac{3}{4}$ " in length intergrown and free-standing on a $2\frac{1}{2} \times 2$ " area of cellular matrix, with other crystals scattered in cavities. There is a little crystalline green Malachite scattered in areas of the specimen. $5 \times 3\frac{1}{4} \times 2\frac{1}{4}$ ". £64.00.
9. AZURITE. Crowl Creek, N.S. Wales, Australia. Bright blue flattened radiated crystals richly covering a creamy sandstone matrix with odd spots of green malachite. Colourful specimen. $2 \times 2 \times 1$ ". £6.00.
10. BARYTES. Wetgrove Mine, Ayegarth, Yorkshire. Specimen A: Select lustrous creamy-white chisel-like crystals to $\frac{1}{2}$ " in size free-standing on and completely covering matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £7.00. Specimen B: Fine pale bluish transparent chisel-like crystals to $\frac{1}{2}$ " in size covering matrix. $3 \times 1\frac{1}{4}$ ", £4.50p.
11. NATIVE BISMUTH. Schneeberg, Saxony, Germany. Silvery-grey metallic crystalline masses associated with a little quartz and small sharp silvery crystals of CHLDRANTHITE. $2\frac{1}{4} \times 1\frac{1}{4} \times 1$ ". £13.00.

12. BOTALLACKITE. Levant Mine, Pendeen, Cornwall. Specimen A: Light green lustrous well formed crystals to 2 mm in size richly scattered on chalcocite/quartz/hematite veinstuff with thin light blue micro crystallised crusts of Connellite in places. $3 \times 2 \times 2$ ", £22.00. Specimen B: Light green well formed crystals to 2 mm in size scattered on hematite matrix. $1 \frac{1}{2} \times 1$ ", £4.50p
13. BOULANGERITE. Mina Noche Buena, Zacatecas, Mexico. Metallic silvery-grey needle crystals richly scattered on and infilling cavities in calcite/pyrite veinstuff, with odd well formed Pyrites crystals in places. $4 \times 1 \frac{1}{2} \times 1 \frac{1}{2}$ ", £7.00
14. CALCITE. BlackBene Mine, Weardale, Co. Durham. Select creamy translucent sharp 'nail-head' crystals to nearly 1" in size intergrown and free-standing on matrix. Very attractive specimen. $3 \frac{1}{2} \times 2 \frac{1}{2} \times 1 \frac{1}{2}$ ", £7.00
15. CARNOTITE. Gould Mine, Fall River Co., S. Dakota, U.S.A. Bright yellow rich crystalline crust covering sandstone matrix. $3 \times 1 \frac{1}{2} \times 1 \frac{1}{2}$ ", £6.50p
16. CASSITERITE. Storey's Creek, Tasmania, Australia. Specimen A: Very choice and sharp lustrous black single crystal with minor muscovite mica around it's base. $1 \times 1 \frac{1}{2} \times \frac{1}{2}$ ", £17.00. Specimen B: Choice lustrous black large sharp composite crystal, $1 \frac{1}{2} \times 1$ ", £14.00
17. CASSITERITE. Wheal Kitty, St. Agnes, Cornwall. Specimen A: Sharp lustrous deep brown crystals to 5 mm in size richly scattered in a $3 \frac{1}{2} \times 2$ " cavity in cellular chlorite/Cassiterite/Quartz veinstuff, with smaller cavities also lined with crystals. $4 \times 3 \times 2 \frac{1}{2}$ ". Specimen B: Lustrous dark brown sharp crystals to 4 mm in size richly lining cavities in chlorite/cassiterite/quartz veinstuff. $2 \frac{1}{2} \times 2 \times 1 \frac{1}{2}$ ", £11.00
18. CASSITERITE. Zinnwald, Bohemia, C.S.S.R. Select lustrous blackish sharp twinned single crystals and small crystal groups ranging in size from $\frac{1}{2}$ "- $\frac{3}{4}$ ". Priced according to size and perfection from £1.25p to £4.50p each.
19. CASSITERITE. Scorrier, Cornwall. Very rich light brown crystalline masses associated with milky quartz and a little chlorite. An old label is attached to the specimen. $3 \frac{1}{2} \times 2 \frac{1}{2} \times 1 \frac{1}{2}$ ", £4.50p
20. CATAPLEIITE. Norra Karr, Örebro, Sweden. Rich light brownish resinous masses associated with creamy calcite in matrix. $2 \times 2 \times 1 \frac{1}{4}$ ", £3.25p
21. CERULEITE. Wheal Gorland, St. Day, Cornwall. Specimen A: Rich light sky-blue crystalline crusts covering areas of milky quartz. $3 \frac{1}{2} \times 2 \times 1 \frac{1}{4}$ ", £7.00. Specimen B: Rich sky-blue radiated crystalline masses lining small cavities in cellular veinstuff. $1 \frac{1}{2} \times 1 \frac{1}{2} \times 1$ ", £4.50p
22. CHALCEDONY replacing OCTAHEDRAL FLUORITE. Wheal Mary Ann, Menheniot, Cornwall. Specimen A: Select creamy-white sharp octahedral fluorite crystals to over $\frac{3}{4}$ " in size completely replaced by creamy chalcedony, intergrown on massive chalcedonic quartz matrix. Unusually sharp replacement. $3 \times 3 \times 2$ ", £8.00. Specimen B: Creamy-white replaced octahedral crystals to 1 cm in size thickly intergrown on matrix. $3 \times 2 \times 1$ ", £4.50p
23. CHALCOCITE. West Wheal Basset, Illogan, Cornwall. Well formed skeletal hexagonal crystals partially altered to bornite, and mostly around 3-4 mm in size, richly scattered on and lining cavities in cellular chlorite/quartz veinstuff. $4 \frac{1}{2} \times 3 \times 2$ ", £14.00
24. CHALCOPYRITE. Mt. Wellington Mine, Twelveheads, Cornwall. Iridescently lustrous small sharp crystals to 3 mm in size scattered on matrix with a little quartz. $2 \frac{1}{2} \times 1 \frac{1}{4} \times 1$ ", £1.50p
25. CHILDRENITE. George & Charlotte Mine, nr. Tavistock, Devon. Specimen A: Sharp sparkling golden-brown crystals to 2 mm in size lining cavities in cellular matrix. $2 \frac{1}{2} \times 1 \frac{1}{4} \times 1$ ", £4.75p. Specimen B: Small sparkling golden-brown crystals lining cavities in siderite matrix. $1 \frac{1}{4} \times 1 \frac{1}{4} \times \frac{1}{2}$ ", £3.50p
26. META-CINNABAR. New Almaden, Santa Clara Co., California, U.S.A. Select lustrous blackish sharp crystals to 3 mm in size very richly covering quartzose matrix. Very rich example of this mineral. $3 \frac{1}{2} \times 2 \frac{1}{2} \times 2$ ", £18.00
- NATIVE COPPER. Poldory Mine, Bwennap, Cornwall. Rich coppery coloured ramifying crystalline
27. mass with small well formed crystals covering surfaces in places, and with minor fragments of slate attached. $3 \times 2 \frac{1}{2} \times 1$ ", £8.00

- NATIVE COPPER. Mufulira Mine, Zambia. Specimen A: Choice bright coppery ramifying well crystallised mass, with crystals to $\frac{1}{4}$ " in size. $3\frac{1}{2} \times 1\frac{1}{2}$ ", £11.00. Specimen B: Fine bright coppery pure mass of sharp branching crystals, with individual crystals to 5 mm in size. $1\frac{1}{2} \times 1\frac{1}{2} \times \frac{1}{4}$ ", £8.00
29. CORNETITE. Buana Mkuba, Ndola, Zambia. Rich crust of minute deep blue sparkling crystals covering matrix with minor malachite in association. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £6.50p
30. CUPRITE. Broken Hill, N.S. Wales, Australia. Deep reddish well formed cubic crystals to 4 mm in size intergrown on one side of a heavy mass of cuprite and crystalline Native Copper. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £9.00
31. CUPRITE. North Wheal Basset, Illogan, Cornwall. Small sharp octahedral crystals to 3 mm in size lining cavities in a cellular mass of cuprite/quartz. $2 \times 1\frac{1}{2} \times \frac{1}{4}$ ", £4.50p
32. DATOLITE. Santa Eulalia, Chihuahua, Mexico. Very choice lime-green sharp transparent crystals to $\frac{1}{4}$ " in size forming an intergrown group with odd small blackish crystals of Sphalerite in association. $2\frac{1}{2} \times 2\frac{1}{2}$ ", £23.00
33. DIOPHASE. Mindouli, Niari River, Zaire. Bright emerald-green sharp crystals to 5 mm in size lining a $1\frac{1}{2} \times 1$ " cavity in massive crystalline diopside with other smaller cavities also lined with bright crystals. $2 \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £14.00
34. DOLOMITE. Thorold, Ontario, Canada. Lustrous light pinkish sharp saddle-shaped rhombic crystals mostly around $\frac{1}{4}$ " in size thickly lining a dash-shaped cavity in matrix with odd minute chalcocopyrite and BRAVOITE crystals scattered on the dolomite. $3\frac{1}{2} \times 3 \times 2$ ", £7.00
35. DUFTITE. Tsumeb, Otavi, S.W. Africa. Rich olive-green minute crystals and crystalline masses associated with glassy twinned large CERUSSITE crystals to $\frac{1}{4}$ " in size. $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £6.50p
36. ENARGITE. Quiruvilca, Libertad Dept., Peru. Specimen A: Very fine bright silvery-grey metallic sharp terminated crystals mostly around $\frac{1}{4}$ " in size richly covering matrix with odd silvery-grey well formed TETRAHEDRITE crystals to 5 mm in size in association. $3 \times 2\frac{1}{2} \times 1$ ", £23.00. Specimen B: As specimen A, $2\frac{1}{2} \times 1\frac{1}{4}$ ", £14.00. Specimen C: Bright silvery-grey sharp terminated crystals to $\frac{1}{4}$ " in size associated with well formed pyritohedral crystals of pyrites to $\frac{1}{4}$ " in size on matrix. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £9.00
37. EPIDOTE. Montjoyet, Val d'Aosta, Piedmont, Italy. Select lustrous olive-green sharp crystals to $\frac{1}{4}$ " in size scattered and intergrown on matrix with tabular greenish crystals and masses of DIOPSIDE. $4\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ ", £13.00
38. FLUORITE. Caravia Mine, Asturias, Spain. Choice transparent to translucent light purplish sharp cubic crystals with stepped edges, to 1" in size forming a fine intergrown group with odd pale brownish bladed Barytes crystals in places. Nice specimen for display. $4\frac{1}{2} \times 4 \times 2\frac{1}{4}$ ", £26.00
39. FLUORITE. Naica, Chihuahua, Mexico. Select transparent light purplish sharp OCTAHEDRAL crystals to $\frac{1}{2}$ " in size associated with sharp large rhombic creamy Calcite crystals to over 1" in size, and odd brassy crystals of Pyrites. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £14.00
40. FLUORITE. Redburn Mine, Rookhope, Co. Durham. Pale pinkish-purple transparent twinned cubic crystals to over $\frac{1}{2}$ " in size attractively scattered over intergrown milky pyramidal quartz crystals to $\frac{1}{4}$ " in size. Specimen A: $3\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £4.50p. Specimen B: $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £2.50p
41. GADOLINITE. Ytterby, nr. Stockholm, Sweden. Rich resinous blackish masses in creamy to pinkish feldspar with plates of biotite mica. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £1.50p
42. GALENA. Blackdene Mine, Weardale, Co. Durham. Bright silvery-grey metallic modified cube-octahedral crystals to $\frac{1}{4}$ " in size scattered on intergrown light purplish fluorite crystals on massive fluorite matrix. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £4.50p
43. GYROLITE. Poona, nr. Bombay, India. Fine creamy large crystalline ball-like masses to over 1" in diameter, forming an intergrown group with creamy-white radiated needle crystalline masses of Okenite and a little calcite in association. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £11

- 44. HEMATITE. var. KIDNEY ORE. Florence Mine, Egremont, Cumberland. Specimen A: Fine lustrous reddish-brown botryoidal mass of nice shape, with small Specularite and Calcite crystals on the reverse side. $4\frac{1}{2} \times 3 \times 2$ ", £11.00. Specimen B: Choice lustrous deep reddish-brown dome shaped botryoidal mass; nice specimen for display. $3\frac{1}{2} \times 2$ by $2\frac{1}{2}$ " high. £6.50p
- 45. HEMIMORPHITE. La Esmeralde Mine, Chihuahua, Mexico. Light turquoise-blue lustrous botryoidal mass covering a cellular matrix. $2\frac{1}{2} \times 1\frac{1}{2}$ ", £3.50p
- 46. HESSONITE GARNET. Val d'Ala, Piedmont, Italy. Lustrous bright orangey sharp crystals to 3 mm in size richly covering matrix with a little creamy Apatite and greenish Clinocllore in association. $2\frac{1}{2} \times 2 \times 1$ ", £9.00
- 47. HEULANDITE. Hazard lode, Botallack Mine, St. Just, Cornwall. Small sharp sparkling clear crystals covering both sides of altered greenstone matrix. $2\frac{1}{2} \times 2$ ", £3.25p
- 48. HUEBNERITE. Peste Buena, Peru. Specimen A: Very choice lustrous deep brownish sharp terminated tabular elongated crystals forming a crystal group in parallel growth, with sharp elongated Quartz crystals to $\frac{3}{4}$ " in size encrusting one side. 4" long by $1\frac{1}{2}$ ", £33.00. Specimen B: Very choice radiated cluster of elongated tabular lustrous deep brownish tabular terminated crystals. 3" long by 1×1 ", £24.00. Specimen C: Select lustrous deep brownish sharp tabular terminated crystal with parallel growth and minute pyrites crystals scattered on one side. $2\frac{1}{2}$ " long by $\frac{3}{4}$ ", £14.00. Specimen D: As specimen C, 2" long by $\frac{1}{2}$ ", £8.00. Specimen E: Select cluster of lustrous reddish-brown terminated crystals in parallel growth, with a little quartz on one side. $1\frac{1}{2}$ " long by $\frac{1}{2}$ ", £4.50p. Specimen F: Select single crystals and clusters, some with minor quartz attached. Each approx $\frac{1}{2}$ -1" long, £1.75p each.
- 49. HUTCHINSONITE. Quiruvilca Mine, Libertad Dept., Peru. Fine sharp deep reddish-brown rod-like crystals to 3 mm in length scattered on matrix with odd well formed orangey crystals and crystal masses of Orpiment. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £33.00
- 50. HYALITE OPAL. Mt. Arci, Sardinia. Transparent glassy botryoidal masses thickly covering matrix. Specimen A: $3 \times 2 \times 1$ ", £5.50p. Specimen B: $2 \times 1\frac{1}{4} \times 1$ ", £3.25p
- 51. LEGRANDITE. Mina Ojuela, Durango, Mexico. Specimen A: Bright yellowish sharp crystals to 4 mm in size scattered in areas on both sides of limonitic matrix with a little Smithsonite in association. $2 \times 1\frac{1}{2} \times 1$ ", £13.00. Specimen B: Choice bright yellowish sharp crystals to 5 mm in size scattered and intergrown on both sides of cellular matrix. $1\frac{1}{2} \times \frac{3}{4}$ ", £6.50p. Specimen C: Small bright yellowish sharp crystals scattered on both sides of matrix. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £4.50p
- 52. LIBETHENITE. Mindola openpit, nt. Kitwe, Zambia. Unusual elongated rod-like crystals of a deep olive-green colour forming a spray 1 cm in size in a cavity in phyllite matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £6.50p
- 53. LISKEARDITE. Marke Valley Mine, Linkinhorne, Cornwall. Rich creamy-white masses lining cavities in cellular matrix. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.50p
- 54. MALACHITE. Laurium, Attica district, Greece. Bright green needly crystals lining cavities in dark brown limonitic matrix. $2\frac{1}{2} \times 2$ ", £4.50p
- 55. MENDIPITE. Mendip Hills, Somerset. Specimen A: Rich creamy to pinkish divergent crystalline mass $1\frac{1}{2} \times \frac{3}{4}$ " in size embedded in creamy-white platy Hydrocerussite in blackish pyrolusite matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £22.00. Specimen B: Very rich pure divergent pinkish to creamy pure mass. $1\frac{1}{2} \times 1 \times \frac{3}{4}$ ", £14.00. Specimen C: Rich divergent creamy to pinkish mass 1" in size embedded in calcite/pyrolusite matrix. $1\frac{1}{2} \times 1 \times \frac{3}{4}$ ", £8.00. Specimen D: As specimen C, with mendipite mass $1 \times \frac{1}{2}$ ", overall size $1\frac{1}{4} \times 1$ ", £5.50p.
- 56. MIMETITE. Mexico Mine, Caldbeck Fells, Cumberland. Specimen A: Select bright orangey barrel-like crystals to 5 mm in size thickly intergrown on quartz matrix. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £6.50p. Specimen B: Lustrous yellowish-green sharp rounded barrel-like crystals to 4 mm in size intergrown on a $\frac{3}{4}$ " area on cellular quartz. $2 \times 1 \times 1$ ", £3.25p
- 57. MIMETITE. Dribgeth Mine, Caldbeck Fells, Cumberland. Lustrous greenish sharp barrel-like crystals mostly around 2-3 mm in size thickly covering cellular quartz matrix. $2 \times 2 \times 1\frac{1}{4}$ ", £3.50p
- 58. MOTTRAMITE. Los Lamentos, Chihuahua, Mexico. Specimen A: Bright sparkling brown sharp platy crystals to 3 mm in size thickly encrusting altered limestone matrix. $2\frac{1}{2} \times 2$ ", £6.50p. Specimen B: Small bright brown sharp crystals covering matrix. $1\frac{1}{2} \times 1\frac{1}{4} \times 1$ ", £2.50p.

59. OLIVENITE. Wheal Gorland, St. Day, Cornwall. Specimen A: Choice bright dark olive green crystals lining cavities in milky quartz with a $\frac{3}{8}$ " diameter rounded mass of the 'wood olivenite' variety. $3 \times 2\frac{1}{2} \times 2\frac{1}{2}$ ", £11.00. Specimen B: Fine bright olive green small sharp crystals lining cavities in cellular quartz. $3 \times 2 \times 1\frac{1}{2}$ ", £4
60. OSUMILITE. Mt. Arci, Sardinia. Sharp blackish to orangey crystals mostly around 1-2 mm in size scattered in cavities in rhyolite matrix. Specimen A: $2 \times 2 \times 1\frac{1}{4}$ ", £4.75p. Specimen B: $1\frac{3}{4} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £2.75p. Specimen C: 1×1 ", £1.25p
61. PARATACAMITE. Levant Mine, Pendenz, Cornwall. Small sharp deep green crystals covering areas of quartz/chalcoite/pyrite veinstuff. $1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{4}$ ", £3.25p
72. PREHNITE. Boylstone Qry., Barrhead, Renfrew, Scotland. Select apple-green lustrous silky botryoidal crystalline mass lining a $1\frac{1}{2}$ " cavity in matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £1.25p
73. PYRRHOTITE. St. Andreasberg, Harz, Germany. Select lustrous deep red sharp crystals to 5 mm in size intergrown in cavities in cellular quartz. $1\frac{1}{2} \times 1 \times 1$ ", £33.00
74. PYRITES. Quiruvilca, Libertad Dept., Peru. Specimen A: Fine very bright sharp pyritohedral crystals to 1" in size forming an intergroup group. $4\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ ", £44.00. Specimen B: Fine very bright sharp pyritohedral crystals to $1\frac{1}{2}$ " in size forming an intergroup group. $4 \times 3 \times 2$ ", £28.00. Specimen C: Fine very bright sharp pyritohedral crystals to $\frac{3}{4}$ " in size forming an intergroup group with odd small dark brownish sphalerite crystals scattered in places. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £16.50p. Specimen D: Choice very bright sharp pyritohedral crystals to over $\frac{1}{2}$ " in size forming an intergroup group. $2 \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £7.00. Specimen E: As specimen D, $2 \times 1\frac{1}{2} \times 1$ ", £5.50p. All these specimens are excellent for display.
75. PYRITES. Corn Brea Mine, Illogan, Cornwall. Small sharp bright brassy octahedral crystals richly scattered over lenticular light brown Siderite crystals covering quartz matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £3.25p
76. PYROCHLORE. St. Lawrence Mine, Oka, Quebec, Canada. Sharp lustrous brownish octahedral crystals to 3 mm in size scattered in a creamy matrix. $2 \times 1\frac{1}{2} \times 1$ ", £4.50p
77. PYROMORPHITE. Mine les Forges, Creuse, France. Select lustrous dark olive coloured interlocking mass of sharp elongated hexagonal crystals to $\frac{1}{4}$ " in size, with a bright yellow spot of Mimetite on the terminations of many of the crystals. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £23.00
78. PYRRHOTITE. Santa Eulalia, Chihuahua, Mexico. Specimen A: Select dark brassy sharp hexagonal crystals to over $\frac{1}{2}$ " in size forming an intergroup group with odd bright blackish Sphalerite crystals scattered on the pyrrhotite crystals. $3\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £8.00. Specimen B: Select bright brassy large composite hexagonal crystal with a little light brown siderite encrusting one side, together with odd crystals of pyrites, sphalerite and calcite. $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £5.50p. Specimen C: Bright brassy well formed hexagonal crystals to $\frac{1}{4}$ " in size scattered on thin quartz crystals with odd cubic crystals of pyrites in association. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £2.75p. Specimen D: Select well formed single hexagonal crystals and crystal groups, some with minor crystallised sphalerite or siderite in association. Each approx 1×1 " in size, £1.50p each.
79. RHODOCHROSITE. Ineduraishi Mine, Hokkaido, Japan. Choice lustrous light pink botryoidal mass completely covering quartz matrix, with odd well formed bright brassy Pyrites crystals intergrown in places. Fine specimen for display. $8 \times 5 \times 2$ ", £44.00
80. RHODOCHROSITE. Moanda Mine, Moanda, Gabon. Lustrous transparent sharp rose-pink crystals mostly around 2-3 mm in size thickly encrusting a blackish pyrolusite matrix. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £18.00
81. ROTILE. Arendal, Norway. Specimen A: Sharp deep reddish-brown lustrous sharp crystals to 4 mm in size richly scattered in cavities in chlorite/calcite matrix. $2 \times 2 \times 1\frac{1}{2}$ ", £11.00. Specimen B: As specimen A, $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £8.00
82. SCHEELITE. Tong Wha, Chungchongbukdo Prov., Korea. Select lustrous light brown translucent octahedral crystal 1 cm in size implanted on milky quartz with bright greyish metallic hexagonal crystals of MOLYBDENITE to over $\frac{1}{2}$ " in diameter. $2\frac{1}{2} \times 1$ ", £13.00
83. SCORODITE. Prince of Wales Mine, nr. Callington, Cornwall. Small sharp bright olive coloured crystals lining a $\frac{3}{8}$ " cavity in matrix. $2\frac{1}{2} \times 1\frac{1}{4} \times 1$ ", £4.50p

84. NATIVE SILVER. Cobalt, Ontario, Canada. Tarnished silvery hackly masses and wires intergrown with calcite. Specimens approx $\frac{3}{4} \times \frac{1}{4}$ " in size, £2.25p each.
85. SKUTTERODITE. Bou Azzer, Morocco. Well formed bright silvery crystals to $\frac{1}{2}$ " in size intergrown on massive skutterudite. $2 \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £6.50p
86. SMITHSONITE. Tsameb, Otavi, S.W. Africa. Sharp transparent pale brownish crystals to 4 mm in size encrusting both sides of intergrown Galena crystals. $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £4.50p
87. SPHALERITE. Force Crag Mine, nr. Keswick, Cumberland. Lustrous blackish sharp crystals to $\frac{1}{4}$ " in size thickly intergrown on matrix with a little light brownish Siderite. $5 \times 3 \times 2\frac{1}{2}$ ", £9.00
88. SPHALERITE. Mid Continent Mine, Kansas, U.S.A. Bright sharp blackish crystals to over $\frac{1}{4}$ " in size richly scattered over matrix with numerous small sharp brassy CHALCOPYRITE crystals. $3 \times 3 \times 1\frac{1}{2}$ ", £4.50p
89. SPHALERITE. Casapalca, Junin Prov., Peru. Very large lustrous deep brownish sharp crystals to $1\frac{1}{2}$ " in size intergrown on matrix with odd well formed silvery-grey TETRAHEDRITE crystals to $\frac{1}{2}$ " in size, and a little quartz and pyrites. $4\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £33.00
90. SPHENE. Kragerø, Telemark, Norway. Well formed lustrous dark brown crystal over $\frac{1}{2}$ " in size embedded in feldspar matrix. $3 \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £3.50p.
91. STANNITE. Wheal Jane, Kea, Cornwall. Rich metallic grey masses with minor golden chalcopyrite in association. Specimen A: $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £3.50p. Specimen B: $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £2.75p
92. STILBITE. Skookumchuck Dam, Washington, U.S.A. Select lustrous creamy-white sharp sheafs of crystals to $1\frac{1}{4}$ " in length forming an intergrown group. $3 \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £7.00
93. TETRAHEDRITE. Kapnik, Rumania. Sharp silvery-grey tetrahedral crystals to 5 mm in size associated with slightly milky quartz crystals covering cellular quartz matrix. $2\frac{3}{4} \times 1\frac{1}{4}$ ", £8.00
94. TETRAHEDRITE. Credis Mine, nr. Padstow, Cornwall. Rich silvery-grey masses in quartz with a little siderite. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £2.50p
95. THALMASITE. Gjellebekk, Buskerud, Norway. Rich creamy-white fibrous mass on matrix. $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £1.50p
96. TILASITE. Langban, Wernland, Sweden. Rich flesh-pink mass. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £1.75p
97. TOPAZ. Ouro Preto, Minas Gerais, Brazil. Select golden translucent elongated well formed and terminated single crystals. Each approx 1- $1\frac{1}{4}$ " in length, £2.50p each.
98. TORBERNITE. Mine Bois-Noir, Loire, France. Choice bright green well formed tabular crystals to $\frac{1}{4}$ " in size intergrown on areas of matrix. $2 \times 1\frac{1}{4} \times 1$ ", £14.00
99. TOURMALINE var. BUELLITE. Pala Queen Mine, San Diego Co., California, U.S.A. Specimen A: Fine mostly transparent well formed and terminated greenish grading to bright pink single crystal. $1\frac{1}{2}$ " long by $\frac{3}{4} \times \frac{1}{2}$ " across the axis. £28.00. Specimen B: Bright pinkish well formed and terminated single crystal, $1\frac{1}{4}$ " long by $\frac{3}{4} \times \frac{1}{2}$ " across the axis. £8.00
100. TOURMALINE. Bovey Tracey, Devon. Lustrous bright black well formed crystal associated with a little quartz. 1×1 ", £3.25p
101. VIVIANITE. Blackbird Mine, Cobalt, Idaho, U.S.A. Bright indigo-blue tabular crystals imolanted in radiated groups to 1" in size on pyritic matrix. $3\frac{1}{4} \times 2 \times 1\frac{1}{4}$ ", £11.00
102. VOLBORTHITE. Grand River, Utah, U.S.A. Rich crusts and small sharp lime-green crystals covering sandstone matrix. Specimen A: Very rich in volborthite, $3 \times 2 \times 1\frac{1}{2}$ ", £8.00. Specimen B: $1\frac{1}{2} \times 1\frac{1}{4} \times 1$ ", £3.25p
103. WOLFRAMITE. Panasqueira, Beira-Beixa, Portugal. Select bright black well formed and terminated large tabular crystal with others in parallel growth, and with minor small Pyrites scattered in places. $2\frac{3}{4} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £44.00
104. WITHERITE. Cave-in-Rock, Hardin Co., Illinois, U.S.A. Select creamy coloured sharp pseudo-hexagonal crystals to 1 cm in size forming intergrown groups. Specimen A: $3\frac{1}{2} \times 2$ ", £7.00. Specimen B: $2\frac{1}{4} \times 1\frac{1}{2}$ ", £4.50p. Specimen C: $1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.75p