

TEL.NO.: Gunnislake 832381
(STD 0822)

V.A.T.No.: 132-7852-f7

ORDERING INFORMATION

Mail orders are promptly filled and despatched on a 7-day examination basis, subject to approval. Immediate refund guaranteed on return of the specimen(s), in good condition.

Please quote the name and number of the specimen(s) required, and enclose P.O./Cheque with order. All prices are inclusive of V.A.T.

No charge is made for postage and packing, except for overseas customers and postage over 75p.

We reserve the right to make slight substitutions, if necessary, unless advised to the contrary.

Special requests and "wants lists" are welcome.

We hope that we may be of some service to you, and assure you of our best attention at all times.

FEBRUARY 1979

- ADULARIA. St. Gotthard, Ticino, Switzerland. Select sharp colourless to creamy-white transparent crystals to $\frac{1}{2}$ " in size intergrown on gneiss with a clear smoky quartz crystal $\frac{1}{2} \times \frac{1}{2}$ " in size. $2\frac{1}{2} \times 1\frac{1}{4}$ ", £6.50p
- ANAPAITÉ. Ballaver de Cerdana, Gerona, Spain. Small bright sharp olive coloured crystals richly lining large cavities in a phosphatic nodule. $3 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.25p
- ANTHOPHYLLITE. New England Qry., Yealmlpton, Devon. Rich fibrous silky pale bluish asbestiform masses with a little epidote and quartz. Specimen A: $3\frac{1}{4} \times 2 \times 1\frac{1}{4}$ ", £2.50p. Specimen B: $2 \times 1\frac{1}{4}$ ", £1.25p
- APATITE variety FRANCOLITE. Wheal Pendarves, Camborne, Cornwall. Small sharp sparkling crystals covering parts of the surface and lining cavities in massive Chalcocite. $2 \times 2 \times 1\frac{1}{4}$ ", £4.50p
- APOPHYLLITE. Poona, near Bombay, India. Specimen A: Choice lustrous creamy-white sharp crystals to $\frac{3}{4}$ " in size intergrown on one side and towards one end of basalt matrix, with the rest of the surface covered in small sharp clear Quartz crystals and odd pale green crystal groups of Prehnite. $3 \times 3 \times 2$ ", £6.50p. Specimen B: Large lustrous creamy-white crystal 1" in size intergrown with other crystals. $1\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £4.50p
- ARAGONITE. Tazoula, near Sefrou, Morocco. Select ball-like groups of sharp lustrous pseudo-hexagonal crystals of a creamy to brick-red colour. Crystals are mostly 5mm to 1cm in size, specimens approx 1×1 ", £1.50p each.
- ARAGONITE. Blackrock Qry., Buckfastleigh, Devon. Specimen A: Fine divergent spray of lustrous translucent spear-like crystals with minor ankerite attached. $2 \times 1 \times \frac{3}{4}$ ", £8.00. Specimen B: Intergrown group of sharp spear-like crystals on ankerite, largest crystal $\frac{2}{3}$ " in length, $1\frac{1}{2} \times 1 \times 1$ ", £3.25p. Specimen C: Select spray of transparent spear-like crystals, $1 \times \frac{3}{4}$ ", £1.25p
- ARSENOPYRITE. Parral, Chihuahua, Mexico. Specimen A: Very choice bright silvery sharp crystals mostly around 1" in size intergrown all over the surface and sides of massive arsenopyrite matrix with a little crystallised Quartz. Fine specimen for display. $4 \times 4 \times 2\frac{1}{2}$ ", £54.00. Specimen B: Fine very bright silvery sharp crystals to $\frac{1}{2}$ " in size forming an intergrown mass with odd slender Quartz crystals. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £17.00. Specimen C: Bright silvery sharp crystals to $\frac{1}{2}$ " in size forming an intergrown group with odd small quartz crystals on the reverse side. $2 \times 1\frac{1}{2} \times 1$ ", £6.50p
- ATACAMITE. Remolinos, Atacama Desert, Chile. Very rich cellular mass of sharp lustrous dark green crystals mostly around 2-3 mm in size. Unusual specimen. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £18.00
- BARYTES. Duffon Fell, near Appleby, Westmoreland. Fine large transparent to translucent single tabular crystal, with a smaller in parallel growth. $4 \times 3\frac{1}{2} \times 1$ ", £14.00

11. BARYTES. Ovenspipe Mine, near Shelve, Shropshire. Lustrous creamy to pale yellow crystals to 8 mm in length intergrown on cellular barytes matrix. $2 \times 1\frac{1}{2} \times 1$ ", £2.50
12. BAYLDONITE. Wheal Carpenter, Gwinnear, Cornwall. Crusts of apple-green small sharp crystals coating the surface and lining joints in cellular quartz. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.75p
13. BIXBYITE. Tepetate, San Luis Potosi, Mexico. Specimen A: Sharp very bright black cubic crystals to 4 mm in size implanted in a cavity in rhyolite matrix. $2 \times 1\frac{1}{2} \times 1$ ", £7.00. Specimen B: Sharp bright black cubic crystal 3×3 mm in size implanted on cellular rhyolite. $1 \times 1\frac{1}{4}$ ", £4.75p
14. BUSTAMITE. Meldon, near Okehampton, Devon. Rich lustrous light brown bladed crystalline mass with a little brassy pyrrhotite. $3 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.50p
15. CALCITE. Killhope Mine, Weardale, Co. Durham. Lustrous creamy pagoda-like composite crystals to $\frac{3}{4}$ " in size scattered over both sides of cellular crystallised Dolomite matrix with a little Sphalerite. $4 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £6.50p
16. CALCITE. Naica, Chihuahua, Mexico. Sharp lustrous creamy-white platy hexagonal crystals to 1" in size intergrown all over matrix. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £5.50p
17. CALCITE. Baxter Springs, Cherokee Co., Kansas, U.S.A. Unusual creamy-white ball-like growths of rhombic crystals to 1" in diameter implanted on matrix with sharp lustrous 'ruby' Sphalerite crystals to $\frac{1}{4}$ " in size. $2 \times 1\frac{1}{2} \times 1$ ", £5.50p
18. CASSITERITE. Daballack Mine, St. Just, Cornwall. Rich deep brown masses intergrown with hematite and a little quartz. Interesting location specimen, good specimens of cassiterite are seldom seen from this mine. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £2.50p
19. CERUSSITE. Tsumeb, Otavi, S.W. Africa. Specimen A: Fine lustrous creamy to colourless pure group of large crystals, the surfaces showing a pronounced reticulated structure. Odd small botryoidal masses of fibrous Malachite at the base of the specimen. $3\frac{3}{4} \times 2\frac{3}{4} \times 1\frac{1}{2}$ ", £38.00. Specimen B: Fine transparent sharp tabular crystal showing reticulated twinning at it's base. $1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{4}$ ", £9.00. Specimen C: Sharp transparent to translucent crystals to 8 mm in size scattered on matrix with a little velvety green malachite. $3 \times 2 \times 1$ ", £5.50p
20. CHALCOHITE. Trenwith Mine, St. Ives, Cornwall. Rich heavy dark grey metallic mass. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £2.50p
21. CHALCOPYRITE. Castro Virreyna Mine, near Lima, Peru. Specimen A: Bright brassy sharp crystals to 1 cm in size scattered and intergrown on slender Quartz crystals with a little pale brown crystallised Siderite and odd minute silvery-grey crystals of Tetrahedrite. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £13.00. Specimen B: Iridescently tarnished sharp brassy crystals to 8 mm in size sparsely scattered on slender quartz crystals with small bright Pyrites crystals and odd translucent pale brown crystals of Sphalerite. $3 \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £12.00. Specimen C: Bright brassy crystals to $\frac{1}{2}$ " in size intergrown on slender quartz crystals with sharp bright silvery-grey Tetrahedrite crystals to 1 cm in size. $2\frac{1}{2} \times 1 \times 1\frac{1}{2}$ ", £7.00.
22. CHALCOPYRITE variety BLISTER COPPER. Carn Brea Mine, Illogan, Cornwall. Select light brassy well developed botryoidal mass thickly covering quartz/chalcopyrite matrix. The sample is accompanied by one of Sir A. Russell's handwritten labels, and this states that the piece was from the Baroness Burdett-Coutts collection and originally acquired from J. Lavin of Penzance. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £28.00
23. CHLORANTHITE. Riechelsdorf, Hesse, Germany. Specimen A: Rich silvery-grey feathery masses intergrown with matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £6.50p. Specimen B: as specimen A, $1\frac{1}{4} \times 1$ ", £1.50p
24. CHRYSOCOLLA. Inspiration Mine, Miami, Arizona, U.S.A. Rich colourful turquoise-blue mass showing banding in places. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £3.25p
25. CLINOCLASE. Wheal Gorland, St. Day, Cornwall. Specimen A: Deep blue lustrous crystal masses and small sharp crystals in cavities on one side of cellular quartz veinstuff with large cavities lined with sharp neatly OLIVENITE crystals. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £11.00. Specimen B: Rich dark blue crystal masses associated with fibrous Olivenite and granular quartz. 1×1 ", £2.50p
26. NATIVE COPPER. Goochilly Down, Lizard, Cornwall. Large very bright metallic thick branching plate with a little cuprite, chrysocola and fragments of serpentine. Overall size $4\frac{1}{2} \times 3\frac{1}{2}$ " £14.00
27. CROONERITE. Mendip Hills, Somerset. Bright black platy crystal mass 1 cm in size embedded in calcite/pyrolusite matrix. $2\frac{1}{4} \times 1\frac{1}{4} \times 1$ ", £3.50p

- CERUSSITE. Roughtengill Mine, Caldbeck, Cumberland. Select lustrous creamy tabular crystal $\frac{1}{2}$ " in length implanted on cerussite/galena matrix with smaller cerussite crystals. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.50p
29. CHABAZITE. Ramsley Mine, Sticklepath, Devon. Rich crust of sparkling clear micro crystals covering matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £2.25p
30. CHALCEDONY replacing OCTAHEDRAL FLUORITE. Wheal Mary Ann, Menheniot, Cornwall. Select replacement of sharp octahedral fluorite crystals to $\frac{1}{2}$ " in size by creamy chalcedony. The crystals richly cover a creamy-white chalcedony matrix. $3\frac{1}{2} \times 3$ ", £5.50p
31. CHALCOALUMITE. Grandview Mine, Grand Canyon, Arizona, U.S.A. Very rich bright blue thick crystalline crust covering matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £13.00
32. CHALCOPYRITE. St. Ives Consols Mine, St. Ives, Cornwall. Choice intergrown mass of large hexagonal platy crystals to $\frac{1}{2}$ " in diameter with very minor matrix attached. The crystals are all partially altered to Bornite and are a dull metallic grey in colour. Very rich and fine specimen, a British Museum (Nat. History) label accompanies it. $4 \times 3 \times 2\frac{1}{4}$ ", £54.00
33. CHALCOCITE. Camborne Vein Mine, Camborne, Cornwall. Unusual silvery-grey barrel-like hexagonal crystals to 4 mm in size scattered over chlorite/quartz/chalcopyrite veinstuff. $2 \times 1\frac{1}{2} \times 1$ ", £4.50p
34. CHALCOPYRITE. Mt. Wellington Mine, Twelveheads, Cornwall. Specimen A: Bluish metallic tarnished crystals to 1 cm in size intergrown on a $1\frac{1}{2} \times 1\frac{1}{4}$ " area on matrix with the rest of the specimen covered in milky QUARTZ crystals to $\frac{1}{2}$ " in size and odd bright brassy crystals of PYRITES to 1 cm in size. $4\frac{1}{2} \times 3\frac{1}{2}$ ", £8.00. Specimen B: Select tarnished sharp crystals to 1 cm in size scattered on matrix with numerous slender milky QUARTZ crystals to over $\frac{1}{2}$ " in length and a little crystallised Pyrites. $3\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £5.50p. Specimen C: Bright iridescently tarnished sharp crystals to 3 mm in size richly scattered on matrix with small milky Quartz crystals in association. $3 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £1.50p
35. CHALCOPYRITE. Wheal Primrose, St. Agnes, Cornwall. Slightly iridescently tarnished sharp sphenoidal crystals to $\frac{1}{2}$ " in size associated with bright milky QUARTZ crystals on matrix. $2\frac{1}{2} \times 1\frac{1}{2}$ ", £6.50p
36. CHALCOPYRITE. Mid Continent Mine, Treece, Kansas, U.S.A. Fine bright brassy sharp crystals to 8 mm in size very richly scattered over creamy saddle-shaped crystals of DOLomite covering matrix. 5×4 ", £12.00
37. CINNABAR. Hunan Province, China. Select bright reddish single twinned crystals and crystal sections. Sizes from 5x5 mm to 10x8 mm. Priced according to perfection rather than size, from £1.50p to £4.50p each.
38. NATIVE COPPER. Wheal Pendarves, Camborne, Cornwall. Select coppery coloured thin dendritic sheets. Specimen A: $4 \times 2\frac{1}{2}$ ", £5.75p. Specimen B: 2×2 ", £2.50p
39. CRYOLITE. Ivigtut, Greenland. Pure translucent creamy-white mass with odd masses of siderite and sphalerite. $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £1.25p
40. CUPRITE. South Careadon Mine, St. Cleer, Cornwall. Fine deep reddish small sharp octahedral crystals forming a heavy cellular crystal mass with crystalline NATIVE COPPER. The Cuprite crystals are mostly 1-3 mm in size. $3\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £27.50p
41. CUPRITE. Lanescot Mine, Tywardreath, Cornwall. Bright reddish sharp octahedral crystals to 3 mm in size lining cavities in a heavy mass of crystalline NATIVE COPPER with a little quartz and limonite. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £8.00
42. CUPRITE. Phoenix Mine, Linkinhorne, Cornwall. Specimen A: Very rich deep red mass with much slightly velvety bright green MALACHITE on one side. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £7.00. Specimen B: Bright red mass with a little Malachite & Quartz, odd small sharp Cuprite crystals in cavities. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £1.50p
43. DESCLOISITE. Berg Aukas, Otavi, S.W. Africa. Fine bright brownish pure intergrown masses of sharp spear-like crystals. Specimen A: with tree-like crystal sprays to 1" in size, $3 \times 2\frac{1}{2} \times 2$ ", £16.50p. Specimen B: With spear-like crystals to 1 cm in size. $2 \times 1\frac{1}{4}$ ", £8.00. Specimen C: With crystals to 1 cm in size, $1\frac{1}{2} \times 1$ ", £5.50p. Specimen D: Select individual tree-like crystal masses and groups, each approx $\frac{3}{4} \times \frac{1}{2}$ ", £2.25p each.

44. DIOPHASE. Mindouli, Niari River, Zaïre. Very fine large and bright sharp emerald green crystals to over $\frac{1}{2}$ " in size completely lining a large deep cavity approx. $2\frac{1}{2} \times 1\frac{1}{2} \times 2$ " in size in crystalline diophtase. Specimen is excellent for display, $4\frac{1}{2} \times 3\frac{1}{2} \times 3$ ", £240.00
45. DOLOMITE. Great Laxey Mine, Isle of Man. Sharp lustrous creamy rhombic crystals to 8 mm in size scattered over a large composite brownish-black crystal of SPHALERITE with odd bright milky Quartz crystals and small brassy Chalcopyrite crystals in association. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £8.00
46. EPIDOTE. Le Bourg d'Oisans, Isere, France. Fine bright olive-green elongated terminated crystals mostly around $\frac{1}{4}$ " in length completely covering and free-standing on matrix. Classic old specimen which has an old Butler (dealer of Brompton Rd., London) label attached. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £54.00
47. EPIDOTE. Isle Royale, Lake Superior, Michigan, U.S.A. Small bright olive-green sharp crystals scattered on matrix with minute pinkish crystals of Leumontite. $2\frac{1}{2} \times 2 \times 2$ ", £3.25p
48. FLUORITE. Boltsburn Mine, Rookhope, Co. Durham. Light purple transparent sharp cubic inter-penetrant twinned crystals to 1" in size thickly covering matrix. $3\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £8.00
49. FLUORITE. Heights Mine, Weardale, Co. Durham. Sharp transparent light green cubic twinned crystals to 1 cm in size thickly covering matrix. $2\frac{1}{2} \times 2$ ", £4.50p
50. FLUORITE. Bingham, New Mexico, U.S.A. Light blue well formed cubic crystals to 1 cm in size intergrown on cellular matrix. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £2.75p
51. GOETHITE. Spearn Moor Mine, Pendeon, Cornwall. Select well banded light brown mass with a smooth mamillary surface. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £4.50p
52. GYPSUM variety SELENITE. Girgenti, Sicily, Italy. Fine translucent sharp twinned crystals to $1\frac{1}{4}$ " in size completely covering and free-standing on a cellular matrix. Good specimen for display. $5\frac{1}{2} \times 3\frac{1}{2} \times 2\frac{1}{2}$ ", £11.00
53. GYROLITE. Poona, near Bombay, India. Fine silky creamy-white crystal (balls) to 20 mm in diameter richly scattered over basalt matrix with odd clear sharp crystals of APOPHYLLITE to 1 cm in size in association, together with a little silky white crystallised OKENITE. $5 \times 3\frac{1}{2} \times 2\frac{1}{2}$ ", £13.00
54. HEMATITE variety IRON ROSE. Zillertal, Tyrol, Austria. Choice bright blackish hexagonal crystal 'roses' to 8 mm in diameter intergrown and scattered on matrix with a little clear crystallised Quartz. $1\frac{1}{2} \times 1$ ", £11.00
55. HEMIMORPHITE. Santa Eulalia, Chihuahua, Mexico. Fine transparent sharp terminated tabular crystals mostly around 5-8 mm in length thickly covering a stalactitic mass of light brown limonite. Nice display specimen. $4\frac{1}{2} \times 4 \times 1$ ", £23.00
56. HEMIMORPHITE. Golconda Mine, Bressington, Derbyshire. Sharp translucent crystals to 4 mm in size richly scattered on matrix with creamy-white HYDROZINCITE. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £3.25p.
57. HEULANDITE. White Mt., Lisburn, Co. Antrim, N. Ireland. Sharp clear bright crystals to $\frac{1}{4}$ " in size lining cavities in basalt matrix. $3 \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £2.75p
58. ILVAITE. Huttal, Harz, Germany. Lustrous blackish crystals and crystal sections to 7 mm in size scattered on matrix with sugary quartz. $3\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £4.50p
59. JAMESONITE. Treore Mine, St. Endellion, Cornwall. Very rich heavy silvery-grey fibrous crystalline mass with the outer surfaces partially altered to creamy-yellow BINDHEINITE. $4 \times 2 \times 1\frac{1}{2}$ ", £4.50p
60. KINOHITE. Christmas Mine, Arizona, U.S.A. Sky-blue crystalline masses scattered on matrix with small clear crystals of Apophyllite. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £4.50p
61. LEGRANDITE. Mina Ojuela, Durango, Mexico. Specimen A: Sharp lustrous yellow crystals to 3 mm in size richly scattered on and lining cavities in Limonitic matrix. $2 \times 2 \times 1\frac{1}{2}$ ", £14.00. Specimen B: As specimen A, with the crystals richly scattered on matrix, $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £8.00. Specimen C: As specimen A, with the crystals scattered in small cavities. $\frac{1}{2} \times \frac{1}{2} \times \frac{1}{2}$ ", £3.25p

62. BETHENITE. Phoenix Mine, Linkinhorne, Cornwall. Sharp olive-green octahedral crystals to 3 mm in size scattered over tourmaline/quartz veinstuff. $2\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £4.50p
63. LUDLAMITE. Blackbird Mine, Lemhi Co., Idaho, U.S.A. Fine transparent light green well formed crystals and crystal sections to 8 mm in size covering matrix. Very rich specimen of this rare mineral. $2\frac{3}{8} \times 2 \times 1$ ", £33.00
64. MALACHITE. Kambove, Katanga, Zaire. Select polished slices of well banded deep green Malachite. Specimen A: $3 \times 1\frac{1}{2}$ ", £3.25p. Specimen B: $2\frac{1}{4} \times 1\frac{1}{2}$ ", £2.50p
65. MANGANODALCITE. Broken Hill, N.S. Wales, Australia. Lustrous creamy elongated well formed crystals to over $\frac{1}{4}$ " in size thickly covering and free-standing on matrix. $4\frac{1}{2} \times 3\frac{1}{2}$ ", £5.50p
66. MELANITE GARNET. San Benito Co., California, U.S.A. Select bright black sharp crystals richly scattered over a light coloured matrix. Specimen A, with crystals to 4 mm in size, 3×2 ", £4.50p. Specimen B: with crystals to 3 mm in size, $1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.50p.
67. MIMETITE var. CAMPYLITE. Drygill Mine, Caldbeck, Cumberland. Unusual lustrous light greenish coloured barrel shaped crystals to $\frac{1}{4}$ " in size richly covering a $3 \times 1\frac{1}{2}$ " area on cellular matrix. Interesting colour variation for this mineral. $3\frac{1}{4} \times 3 \times 1\frac{1}{2}$ ", £22.00
68. NEPTUNITE. San Benito Co., California, U.S.A. Specimen A: Fine bright blackish sharp terminated crystals and crystal sections to over $\frac{1}{4}$ " in size richly covering matrix with a little whitish Natrolite. $3\frac{1}{2} \times 2\frac{1}{4} \times 1\frac{1}{2}$ ", £28.00. Specimen B: Sharp terminated blackish crystals to 1 cm in length scattered on whitish Natrolite covering matrix, with odd well formed light bluish BENITOITE crystals to 1 cm in size and minute light brown JOAQUINITE crystals. $3 \times 1\frac{1}{4}$ ", £9.00. Specimen C: Bright blackish sharp crystals to $\frac{1}{4}$ " in size embedded in and scattered on natrolite on matrix. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.50p
69. OLIVENITE. Wheal Gorland, St. Day, Cornwall. Lustrous olive-green sharp crystals to 3 mm in size richly lining large cavities in cellular quartz. $3 \times 2 \times 1\frac{1}{2}$ ", £6.50p
70. ORTHOCLASE. Baveno, Lake Maggiore, Italy. A well formed creamy-white crystal $2 \times 1\frac{1}{4}$ " on matrix with creamy ALBITE crystals to 1 cm in size in association. $2\frac{1}{2} \times 2$ ", £4.50p
71. ORTHOCLASE replaced by KAOLIN. Sunny Claywork, Hensbarrow Moor, Cornwall. A fine carlsbad twin crystal completely replaced by creamy-white kaolin. $4 \times 2\frac{1}{2}$ ", £4.50p
72. PHARMACOSIDERITE. Wheal Gorland, St. Day, Cornwall. Light green small sharp cubic crystals richly lining large cavities in cellular matrix. $2\frac{1}{4} \times 1\frac{1}{2}$ ", £4.75p
73. PSEUDOMALACHITE. Nchanga Mine, nr. Kitwe, Zambia. Fine well banded dark green mass showing a smooth botryoidal surface and with a little quartz in association. $3\frac{1}{2} \times 3 \times 2$ ", £18.00
74. PSILCOMELANE. Trebartha Lemanne, North Hill, Cornwall. Select lustrous greyish well formed botryoidal mass with no matrix. $3 \times 3 \times 2$ ", £7.00
75. PYRITES. Trepa, Yugoslavia. Bright brassy sharp striated complex crystals mostly around $\frac{1}{4}$ " in size thickly covering matrix with light pink crystallised RHODOCHROSITE, creamy crystals of CALCITE and a little QUARTZ in association. $4\frac{1}{2} \times 3\frac{1}{2} \times 2\frac{1}{2}$ ", £17.00
76. PYRITES. Wheal Jane, Kee, Cornwall. Specimen A: Bright brassy sharp cubic crystals to $\frac{1}{4}$ " in size scattered over matrix with elongated milky QUARTZ crystals to $\frac{1}{2}$ " in length and well crystallised blackish SPHALERITE. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £8.00. Specimen B: Bright brassy intergrown mass of striated cubic crystals to $\frac{1}{4}$ " in size, with an interesting bluish metallic tarnish in places. $3 \times 3 \times 1\frac{1}{4}$ ", £6.75p. Specimen C: Fine bright brassy intergrown mass of striated modified cubic crystals to 5 mm in size. $2 \times 2 \times 1\frac{1}{4}$ ", £3.25p
77. PYROMORPHITE. Bwlch Glas Mine, nr. Talybont, Cardiganshire. Rich light green crusts of small sharp spiky crystals covering milky quartz veinstuff. Very attractive specimens. Specimen A: $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £8.00. Specimen B: $3 \times 2 \times 1\frac{1}{4}$ ", £4.50p. Specimen C: $2\frac{1}{2} \times 1$ ", £2.25p
78. PYROXOMANGITE. Hoelling, Karnte, Austria. Rich pinkish masses on greyish massive KUTNORHORITE matrix. 3×2 ", £2.75p.

79. QUARTZ. Wheal Mary Ann, Menheniot, Cornwall. Bright slightly milky transparent sharp crystals mostly around $\frac{1}{4}$ " in size completely covering an intergrown group of large pale greenish Fluorite crystals. $5\frac{1}{2} \times 3\frac{1}{2}$ ", £11.00
80. RHODOCHROSITE. Moanda Mine, Babon. Light raspberry coloured transparent sharp terminated crystals to 5 mm in size scattered on blackish pyrolusite matrix. $2 \times 1\frac{1}{2}$ ", £9.00
81. RUBELLITE TOURMALINE. Meldon, Dartmoor, Devon. Lustrous pinkish crystal sections some with greenish centres, to $\frac{1}{4}$ " in length, richly embedded in pagmatite matrix with a little Lepidolite. 2×2 ", £1.00
82. RUTILE. Iragna, Tessin, Switzerland. Lustrous deep reddish-brown well formed crystals and crystal sections to $\frac{1}{4}$ " in size partially embedded in gneiss matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.50p
83. SCORODITE. Wheal Gorland, St. Day, Cornwall. Rich sparkling crust of light green small sharp crystals covering large areas of cellular quartz matrix. $2\frac{1}{4} \times 2\frac{1}{4} \times 1\frac{1}{2}$ ", £4.50p
84. SIDERITE. Virtuous Lady Mine, Buckland Monachorum, Devon. Light brown intergrown platy masses forming portions of casts after cubic Fluorite crystals on a siderite /quartz /pyrites matrix. These casts were known as 'box pseudomorphs' by the old miners. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £4.50p
85. NATIVE SILVER. Kearsage Mine, Keweenaw Pen., Michigan, U.S.A. Rich bright silvery hackly masses associated with tarnished NATIVE COPPER and a little Calcite. $2\frac{1}{2} \times \frac{1}{2} \times \frac{1}{4}$ ", £7.00
86. SPHALERITE. Nentsberry Mine, Alston Moor, Cumberland. Sharp sparkling bright black to reddish-brown crystals to 4 mm in size thickly encrusting limestone matrix. Specimen A: $3 \times 2\frac{1}{4} \times 1\frac{3}{4}$ ", £4.50p. Specimen B: $1\frac{1}{2} \times 1$ ", £0.80p.
87. SPHALERITE. Panasqueira, Beira-Beixa, Portugal. Bright black well formed composite crystals to 1 cm in size intergrown together with a little crystallised SIDERITE, MUSCOVITE and ARSENOFYLITE in association. $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £4.50p
88. SPINEL. Amity, New York State, U.S.A. Lustrous black crudely formed large octahedral crystals to $\frac{1}{2}$ " in size intergrown with muscovite mica & Ilmenite. $2 \times 1\frac{1}{2}$ ", £2.50p
89. STICHTITE. Dundas, Tasmania, Australia. Rich pinkish masses thickly covering altered Serpentine matrix. Specimen A: $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £4.50p. Specimen B: $2\frac{1}{2} \times 1\frac{1}{2}$ ", £2.25p
90. TENNANTITE. Cooks Kitchen Mine, Camborne, Cornwall. Bright silvery-grey sharp crystals to 5 mm in size richly lining large cavities in massive tennantite/quartz matrix. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £22.00
91. TOPAZ. Tepetate, San Luis Potosi, Mexico. Select intergrown group of light sherry coloured transparent terminated crystals, the largest being $1\frac{1}{2}$ " in size. $1\frac{3}{4} \times 1$ ", £7
92. TORBERNITE. Sabugal, Portugal. Small light green platy crystals richly covering large areas of smoky quartz matrix. $4 \times 3\frac{1}{2} \times 1\frac{1}{2}$ ", £7.00
93. VOLBORTHITE. Kambove, Batanga, Zaire. Olive green platy crystals richly covering areas of matrix with dark green crystalline Dioptase and a little crystallised Malachite. $2\frac{1}{2} \times 2 \times 1$ ", £8.00
94. WAVELLITE. Highdown Qry., Filleigh, Devon. (Type location). Specimen A: Rich creamy-white silky radiated crystal masses to $\frac{1}{2}$ " in diameter lying flat on a dark slate matrix. $3 \times 2\frac{3}{4}$ ", £3.25p. Specimen B: As specimen A, but with smaller radiated crystal masses, $2\frac{1}{2} \times 2\frac{1}{2} \times 1$ ". £1.75p
95. WOLFRAMITE. Dolcoath Mine, Camborne, Cornwall. Bright black bladed crystalline masses with a little milky quartz. $2\frac{1}{2} \times 2\frac{1}{4} \times 1\frac{1}{4}$ ", £3.25p
96. WOLFRAMITE. Choon Su, Chungchongpukdo Province, Korea. Select blackish flat tabular terminated crystal with small crystals in parallel growth. $2\frac{1}{4}$ " long by $1\frac{1}{2}$ " across the axis. £11.00
97. WULFENITE. San Francisco Mine, Sonora, Mexico. Specimen A: Bright golden-yellow sharp platy tabular crystals to $\frac{2}{4}$ " in size scattered and free-standing on mimetite coated matrix. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £16.50p. Specimen B: Bright golden-yellow sharp tabular crystals and crystal sections to 1 cm in size scattered on light yellow mimetite covering matrix. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.75p