

RICHARD W. BARSTOW

Drakewalls House, Drakewalls,
Gunnislake, Cornwall, England.

Tel.No.: Tavistock 832381
(STD 0822)

V.A.T.No.: 132-7852-67

ORDERING INFORMATION

Mail orders are promptly filled and despatched on a 7-day examination basis, subject to approval. Immediate refund guaranteed on return of the specimen(s) in good condition.

Please quote the name and number of the specimen(s) required and enclose P.O./Cheque with order. All prices are inclusive of V.A.T.

No charge is made for postage and packing, except for overseas customers and postage over 75p.

We reserve the right to make slight substitutions, if necessary, unless advised to the contrary.

Special requests and "wants lists" are welcome.

We hope that we may be of some service to you, and assure you of our best attention at all times.

SEPTEMBER 1979

1. ALBITE. Branchville, Fairfield Co., Connecticut, U.S.A. Lustrous creamy-white sharp crystals to $\frac{1}{4}$ " in size thickly intergrown on matrix with odd silvery crystal books of Muscovite mica. $1\frac{1}{2} \times 1\frac{1}{4} \times 1$ ", £3.50p
2. ALMANDINE GARNET. Fort Wrangell, Alaska, U.S.A. Sharp translucent lustrous deep red crystal 1×1 " in size partly embedded in mica-schist. $4\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £14.00
3. ANDORITE. Castro Virreyra Mine, Lima Prov., Peru. Small bright silvery sharp crystals to 2 mm in size scattered over creamy Dolomite crystals with well crystallised Sphalerite, Tetrahedrite and Quartz. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £25.50p
4. APATITE. Panasqueira, Beira-Beixa, Portugal. Large translucent lustrous greenish single hexagonal crystal with smaller Apatite crystals and a large brownish Siderite crystal attached on one side. $1\frac{1}{2} \times 1\frac{1}{4} \times 1$ ", £25.00
5. APATITE variety FRANCOLITE. Wheal Pendarves, Camborne, Cornwall. Crust of minute sparkling crystals on granite with minor cassiterite. Specimen A: $3 \times 2\frac{1}{4} \times 1\frac{1}{4}$ ", £3.75p. Specimen B: $2\frac{1}{4} \times 1\frac{1}{2}$ ", £2.00
6. ARAGONITE. Rowrah, West Cumberland. Lustrous creamy coloured spear-like crystals to over 15 mm in length intergrown and free-standing in a $2 \times 1\frac{1}{2}$ " cavity in ironstone. $3\frac{1}{2} \times 2\frac{1}{2} \times 2$ ", £8.00
7. ARAGONITE. Rossicclare, Hardin Co., Illinois, U.S.A. Large creamy tapering spear-like crystals to nearly $1\frac{1}{2}$ " in length intergrown and free-standing on yellowish Fluorite matrix. $4\frac{1}{2} \times 4 \times 2\frac{1}{4}$ ", £18.50p
8. NATIVE ARSENIC. Joachimsthal, Bohemia, C.S.S.R. Heavy greyish masses with small red PROUSTITE crystals and crystal sections in cavities. Specimen A: $2 \times 1\frac{1}{4} \times 1$ ", £4.75p. Specimen B: $1\frac{1}{2} \times 1$ ", £2.75p
9. ATACAMITE. Mina la Farola, Copiapo, Chile. Lustrous deep green sprays of crystals to $\frac{1}{4}$ " scattered on matrix with tufts of lighter green needly Libethenite. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £5.00
10. AUGITE. Bail Hill, Sanquhar, Dumfries, Scotland. Dark greenish-black well formed crystals to $\frac{1}{4}$ " in size embedded in basalt. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.00
11. AZURITE. Burra-Burra, South Australia. Lustrous deep blue small sharp crystals richly encrusting limonitic matrix. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.00
12. BARYTES. Mt. Wellington Mine, Twelveheads, Cornwall. Specimen A: Bright translucent greyish sharp terminated crystals and crystal sprays to $\frac{1}{2}$ " in size thickly covering chalcopryrite matrix with a hollow cast of Quartz after a galena crystal 1 cm in size. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £14.00. Specimen B: As specimen A, with crystals to $\frac{1}{2}$ " in size thickly intergrown on matrix. $2 \times 1\frac{1}{2}$ ", £5.00

13. BERTHIERITE. Pribram, Bohemia, C.S.S.R. Tarnished silvery bladed masses richly embedded in quartzose veinstuff. $2\frac{1}{2} \times 2 \times 1$ ", £14.00
14. BERTRANDITE. Biermann Dry., Bethel, Connecticut, U.S.A. Specimen A: Sharp glassy crystals to over 2 mm in size richly lining a 1" cavity in pegmatite matrix with large plates of silvery Muscovite Mica. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £9.00. Specimen B: Small glassy sharp crystals forming a cellular mass infilling a $\frac{1}{2}$ " cavity in pegmatite. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.75p. Specimen C: Small glassy crystals scattered in a $\frac{1}{2}$ " cavity in pegmatite. 1×1 ", £3.50p
15. BERZELIANITE. Bukov, Bohemia, C.S.S.R. Greyish masses richly scattered in creamy calcite matrix. $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £2.75p
16. NATIVE BISMUTH. Jachymov, Bohemia, C.S.S.R. Rich heavy greyish metallic mass intermixed with Niccolite and Smaltite with thin crusts of Erythrite. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.75p
17. BORNITE. Hingston Down, near Callington, Cornwall. Very rich attractively tarnished purplish masses with silvery Arsenopyrite. Specimen A: $4\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £8.50p. Specimen B: $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £2.75p
18. BOURNONITE. Julcani Mine, Junin Prov., Peru. Specimen A: Bright silvery-grey twinned cog-wheel crystals to 4 mm in size scattered over matrix with bright black sharp SPHALERITE crystals to over $\frac{1}{4}$ " in size, brassy crystals of PYRITES and light pinkish Rhodochrosite, and a little Quartz and Calcite. $4 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £26.00. Specimen B: Bright silvery cog-wheel crystals to 5 mm in size scattered over bright black sharp SPHALERITE crystals to over $\frac{1}{4}$ " in size, with light pinkish crystallised Rhodochrosite. $2 \times 1\frac{1}{2} \times 1$ ", £15.50p. Specimen C: Bright silvery cog-wheel crystals to 4 mm in size associated with brassy Pyrites crystals, and a little Quartz and Arsenopyrite lining cavities in matrix. $1\frac{1}{4} \times 1 \times 1$ ", £8.00
19. CALCITE. Tynebottom Mine, Alston Moor, Cumberland. Lustrous creamy transparent to translucent elongated hexagonal crystals to $1\frac{1}{2}$ " in length thickly intergrown and free-standing on matrix with the reverse side showing intergrown pyramidal Quartz crystals. $4\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £23.00
20. CALCITE. Tsumeb, Otavi, S.W. Africa. Bright transparent creamy to pale golden coloured sharp complex crystals to 1 cm in size thickly encrusting one side and dotted over the other side of an earlier generation of intergrown creamy rhombic Calcite crystals. Nice display specimen. $3\frac{1}{2} \times 3\frac{1}{2} \times 2$ ", £18.50p
21. CALCITE. Allenheads Mine, Allenheads, Northumberland. Sharp creamy nail-head crystals to $\frac{1}{2}$ " in size richly scattered all over small pyramidal clear Quartz crystals encrusting matrix with pale brownish curved rhombic crystals of Dolomite. $5\frac{1}{2} \times 4\frac{1}{2} \times 2\frac{1}{2}$ ", £15.50p
22. CARNOTITE. Uravan, Colorado, U.S.A. Rich yellowish masses with sandstone. Specimen A: $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £4.75p. Specimen B: $2 \times 1 \times 1$ ", £2.75p
23. CARROLLITE. Kamoto Pit, Kolwezi, Shaba, Zaire. Silvery-grey sharp crystals to $\frac{1}{4}$ " in size richly intergrown on creamy calcite matrix with odd small patches of pinkish Cobaltocalcite. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £23.00
24. CASSITERITE. Wheal Pevor, Redruth, Cornwall. Cellular mass composed of lustrous blackish sharp crystals to 5 mm in size with a little chlorite, quartz and odd blades of Wolframite. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £17.00
25. CAVANSITE. Dwyhee Dam, Malheur Co., Oregon, U.S.A. Specimen A: Small greenish-blue crystals richly covering matrix. $2 \times 1\frac{1}{2} \times 1$ ", £8.00. Specimen B: Small bluish crystals scattered over matrix with glassy crystallised Chabazite. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £6.00. Specimen C: Bluish areas of small crystals on matrix. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £3.50p. Specimen D: As specimen C, 1×1 ", £1.50p
26. CERUSSITE. Mibladén, Atlas Mts., Morocco. Sharp glassy transparent twinned crystals to $\frac{1}{4}$ " in size scattered on matrix with much light pinkish 'cockscorn' crystallised Barytes and unusual creamy membranes of Calcite. $3 \times 2\frac{1}{2} \times 2\frac{1}{4}$ ", £15.50p
27. CERUSSITE. Brandybottle Mine, Swaledale, Yorkshire. Lustrous creamy twinned crystals to 1 cm in size intergrown on one end and scattered in cavities in cellular barytes matrix. Very rich specimen for this locality. $3\frac{1}{2} \times 3 \times 2\frac{1}{2}$ ", £15.50p

28. CHALCOCITE. Tincroft Mine, Illogan, Cornwall. Greyish metallic composite hexagonal crystals to 1 cm in size intergrown on matrix. $1\frac{3}{4} \times 1\frac{1}{2} \times 1$ ", £12.25p
29. CHALCOPYRITE. Casapalca, Lima Prov., Peru. Bright brassy sharp crystals to 8 mm in size scattered all over matrix with sharp bright blackish SPHALERITE crystals to 1 cm in size and slender milky Quartz crystals to 15 mm in length. $2\frac{1}{8} \times 3 \times 2\frac{1}{2}$ ", £25.00
30. CHALCOPYRITE. Crinnis Mine, St. Austell, Cornwall. Brassy sharp sphenoidal crystals to 1 cm in size, some with a dark tarnish, scattered on matrix with thin clear Quartz crystals and odd small crystals of Pyrites. $3 \times 2 \times 1\frac{1}{4}$ ", £23.00
31. CINNABAR. Almaden, Ciudad Real, Spain. Specimen A: Bright reddish crystals and crystal sections to 5 mm in size covering a $1\frac{1}{4} \times \frac{1}{2}$ " area on quartzite with the rest of the matrix covered in massive cinnabar. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £9.00. Specimen B: Bright red well formed crystals and crystal sections to 4 mm in size scattered and intergrown on areas of quartzite matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £5.00
32. CLAUSTHALITE. Lasovice, Mehreu, C.S.S.R. Rich greyish masses in calcite matrix with blackish Pitchblende and threads of galena. $2\frac{1}{2} \times 2\frac{1}{4} \times 1\frac{1}{2}$ ", £14.00
33. NATIVE COPPER. Wheal Brity, Gwennap, Cornwall. Metallic coppery coloured spongy and hackly masses with fragments of quartz and slate. $2\frac{1}{2} \times 1\frac{3}{4} \times 1\frac{1}{2}$ ", £5.00
34. NATIVE COPPER. Onganja Mine, Otavi, S.W. Africa. Coppery metallic small sharp crystals and dendritic sprays of crystals scattered and intergrown on transparent Calcite crystals on calcite matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £9.25p
35. NATIVE COPPER. 660 metre level, Mufulira Mine, Zambia. Choice bright coppery sprays of sharp spiky crystals. Specimens each approx $1 \times \frac{1}{2}$ ", £1.50p each.
36. COVELLITE. Leonard Mine, Butte, Montana, U.S.A. Bright purplish tarnished platy crystalline mass with a little pyrites. $2 \times 1\frac{1}{4}$ ", £3.00
37. CUPRITE. Phoenix Mine, Linkinhorne, Cornwall. Specimen A: Bright deep reddish sharp cubic and modified crystals to 5 mm in size scattered over an irony matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £14.00. Specimen B: Bright deep reddish cubic crystals to 5 mm in size dotted on irony matrix. $2 \times 1\frac{1}{2}$ ", £6.00
38. CUPRITE. Chessy, Rhone, France. Single sharp malachite coated complex crystal. $8 \times 6 \times 6$ mm, £14.50p
39. DESGLAISITE. Berg Aukas, Otavi, S.W. Africa. Bright deep brownish sharp crystals to $\frac{1}{4}$ " in size thickly covering a cellular matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £23.00
40. DUFRENITE. Tsumeb, Otavi, S.W. Africa. Dark olive-green botryoidal masses associated with large translucent rhombic CALCITE crystals to over $\frac{3}{4}$ " in size. $3 \times 2 \times 1\frac{1}{2}$ ", £12.00
41. DUNDASITE. West Comet Mine, Dundas, Tasmania, Australia. Specimen A: Creamy-white spherical crystallised masses and crusts richly covering large areas of cellular limonitic gossan with odd rods of terminated COCCOITE to $\frac{1}{4}$ " in length. $2\frac{3}{4} \times 1\frac{1}{2} \times 1$ ", £12.00. Specimen B: Rich crusts of creamy-white crystallised dundasite on matrix with odd minute terminated crystals of Crocoite. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £6.50p. Specimen C: Thin crusts of crystallised Dundasite on limonitic gossan with minute crystals of Crocoite. $1\frac{3}{4} \times 1 \times 1$ ", £3.50p. Specimen D: As specimen C, but not so rich. $1\frac{3}{4} \times 1\frac{1}{2}$ ", £1.50p
42. EGLESTONITE. Cahill Mine, Humboldt Co., Nevada, U.S.A. Specimen A: Areas of yellowish micro crystals with Terlinguaites on bright red cinnabar covering matrix. $3 \times 2\frac{1}{2} \times 2\frac{3}{4}$ ", £8.00. Specimen B: As specimen A, $1\frac{3}{4} \times 1\frac{3}{4}$ ", £4.75p. Specimen C: As specimen A, $1\frac{1}{4} \times 1$ ", £2.50p
43. ENARGITE. Quirivilca, Libertad Dept., Peru. Specimen A: Bright silvery-grey metallic sharp terminated crystals to 1 cm in size intergrown on matrix with a little brassy crystallised Pyrites. $2 \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £12.25p. Specimen B: Bright greyish metallic sharp terminated crystals to 5 mm in size scattered on matrix with a little crystallised Pyrites. 1×1 ", £6.00
44. EUODIALYTE. Mont St. Hilaire, Quebec, Canada. Very rich raspberry-red masses associated with greenish-black crystalline Aegirine and light brownish Diopside in creamy Calcite. Specimen A: $3 \times 2\frac{3}{4} \times 1\frac{3}{4}$ ", £9.00. Specimen B: $2\frac{3}{4} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £4.75p. Specimen C: $1\frac{1}{2} \times 1 \times 1$ ", £1.50p

45. FERGUSONITE. Near Bluffton, Leno Co., Texas, U.S.A. Solid resinous dark brown mass. $1\frac{1}{2} \times 1 \times 1$ ", £3.75p
46. FLUORITE. Blackdene Mine, Weardale, Co. Durham. Large transparent to translucent pale purplish cubic crystals to over $1\frac{1}{2}$ " on face edge forming an intergrown group with a $\frac{1}{2} \times \frac{1}{2}$ " Galena crystal and odd small bright brassy Chalcopyrite crystals on the surface. Nice display specimen. $9 \times 5 \times 3$ ", £42.00
47. FLUORITE. Blackdene Mine, Weardale, Co. Durham. Specimen A: Fine transparent to translucent purplish-green cubic crystals to $2\frac{1}{2}$ " on face-edge forming an intergrown group with a later partial coating of lustrous creamy nail-head CALCITE crystals to $\frac{1}{2}$ " in size. Very attractive specimen for display. $6 \times 4 \frac{1}{2} \times 2\frac{1}{2}$ ", £42.00. Specimen B: As specimen A, with fluorite crystals to $1\frac{1}{4}$ " in size. $5\frac{1}{2} \times 5 \times 1\frac{1}{2}$ ", £26.50p. Specimen C: As specimen A, with Fluorite crystals to 1" in size. $4\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ ", £18.00
48. FLUORITE. West Pasture Mine, near Stanhope, Co. Durham. Group of intergrown transparent lime-green coloured cubic crystals to over $\frac{1}{2}$ " in size. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £1.50p
49. GALENA. Herodsfont Mine, Lanreath, Cornwall. Bright metallic grey modified crystals to 8 mm in size intergrown on matrix with large milky pyramidal QUARTZ crystals to $\frac{3}{8}$ " in size and crusts of minute sparkling Pyrites crystals on the reverse side. $3\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £4.75p
50. GOETHITE. Ouazazate, Jbel Sarhro, Morocco. Specimen A: Blackish needle crystals and crystal sprays scattered in a quartz crystal lined geode. $2\frac{1}{2} \times 2 \times 1\frac{3}{4}$ ", £4.00. Specimen B: Blackish needle crystals and sprays in a quartz crystal lined geode. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.50p
51. HARMOTOME. St. Andreasberg, Harz, Germany. Lustrous creamy-white twinned crystals to 5 mm in size richly scattered all over a cellular quartz matrix. $3 \times 2\frac{1}{2} \times 1$ ", £19.50p
52. HEULANDITE. Hazard section, Botallack Mine, St. Just, Cornwall. Rich crusts of sparkling small sharp clear crystals on altered greenstone. Specimen A: 4×3 ", £7.00. Specimen B: $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.50p
53. HEUBNERITE. Paste Buena, Peru. Bright blackish to dark brownish tabular terminated single crystals and crystal sprays. Each approx 1" in length, £2.00 each.
54. JACOBSITE. Langban, Westland, Sweden. Rich blackish crystalline mass with a little calcite. $2 \times 1 \times 1$ ", £1.50p
55. KERMESITE. Pezinok, Slovakia, C.S.S.R. Bright deep reddish sprays of needle crystals to 1 cm in length scattered over matrix with a little Stibnite. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £23.00. Specimen B: Bright deep reddish sprays of needle crystals to 8 mm in length with greyish Stibnite on matrix. $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £12.00
56. KOTTIGITE. Daniel Mine, Schneeberg, Saxony, Germany. Light pinkish-red botryoidal crystalline masses with lighter pinkish Erythrite on altered cobalt ore. $3 \times 2\frac{1}{2} \times 1$ ", £23.00
57. LAUMONITE. Poona, near Bombay, India. A single creamy-white well formed terminated crystal with botryoidal crystal masses of Gyrolite implanted in places on the sides of the crystal. 2" long, £1.75p
58. LIEBIGITE. Schwartzwaelder Mine, Jefferson Co., Colorado, U.S.A. Specimen A: Bright lime-green well formed crystals to 5 mm in size thickly intergrown on matrix. $2\frac{3}{4} \times 2 \times 1\frac{1}{2}$ ", £23.00. Specimen B: Flattened crystals to 4 mm in size encrusting matrix. $2 \times 1\frac{1}{2} \times 1$ ", £14.00. Specimen C: Well formed lime-green crystals to 5 mm in size scattered on matrix. $1\frac{1}{2} \times 1 \times 1$ ", £7.00. Specimen D: Lime green well formed crystals to 4 mm in size intergrown on matrix. $1\frac{1}{2} \times \frac{3}{4}$ ", £3.75p
59. MAGNETITE. Mina la Judia, Burguillos del Cerro, Badojoz, Spain. Specimen A: Bright black sharp octahedral crystals to 4 mm in size dotted on creamy sharp Adularia crystals lining large cavities in quartz/garnet matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £9.00. Specimen B: Sharp bright black octahedral crystals to $\frac{1}{4}$ " in size scattered on matrix with creamy Adularia crystals. $2 \times 1\frac{1}{2} \times 1$ ", £5.00
60. MIMETITE. Driggeth Mine, Caldbeck Falls, Cumberland. Lustrous light green barrel-shaped crystals to 4 mm in size thickly intergrown on matrix. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £1.50p

61. MINIMUM. Char Kounhi Mine, Iran. Rich light reddish crusts on cellular matrix with a little crystallised Wulfenite. Specimen A: $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £3.75p. Specimen B: - with well crystallised Barytes in association - $1\frac{1}{2} \times 1\frac{1}{2}$ " , £2.25p
62. MOLYBDENITE. Wolfram Camp, Queensland, Australia. Silvery-grey crudely formed hexagonal crystal book with minor quartz. $1\frac{1}{2} \times 1$ " , £2.50p
63. MOTTRAMITE. Tsumeb, Otavi, S.W. Africa. Sparkling blackish minute crystals thickly covering clear Calcite crystals intergrown on matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ " , £11.00
64. MUSCOVITE MICA. Governador Valadares, Minas Gerais, Brazil. Lustrous golden-brown well formed crystals and crystal books to $\frac{1}{4}$ " in size thickly intergrown on matrix. $3\frac{1}{4} \times 3 \times 2\frac{1}{4}$ " , £6.00
65. NATROLITE replaced by STILBITE. Dean Qry., Lizard, Cornwall. Intergrown mass of elongated natrolite crystals encrusted and replaced by sparkling creamy-white Stilbite crystals. $2\frac{1}{4} \times 2 \times 1$ " , £3.75p
66. PARATACAMITE. Bolaco Mine, Atacama desert, Chile. Small bright deep green crystals and crystal crusts richly covering both sides of quartz matrix. $2\frac{1}{4} \times 1\frac{3}{4} \times 1\frac{1}{4}$ " , £24.00
67. PARGASITE. Botallack Head, St. Just, Cornwall. Rich deep greenish bladed crystalline masses with minor axinite and grossular garnet. Specimen A: $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ " , £3.50p. Specimen B: $2\frac{3}{4} \times 2 \times 1\frac{1}{2}$ " , £2.50p
68. PHARMACOSIDERITE. Wheal Borland, St. Day, Cornwall. Specimen A: Small bright green cubic crystals richly lining cavities in gossany veinstuff. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ " , £6.00. Specimen B: Small light green cubic crystals richly lining cavities in cellular veinstuff. $1\frac{1}{2} \times 1\frac{1}{2}$ " , £3.50p
69. PREHNITE. Patterson, New Jersey, U.S.A. Lustrous lime-green translucent botryoidal masses with a crystallised surface thickly covering matrix. $4 \times 2\frac{1}{2} \times 2\frac{1}{4}$ " , £18.00
70. PSEUDOBROOKITE. Thomas Mts., Utah, U.S.A. Specimen A: Bright blackish sprays of crystals to 5 mm in length scattered in quartz crystal lined cavities in matrix. $2\frac{3}{4} \times 2\frac{1}{2} \times 1\frac{1}{2}$ " , £8.00. Specimen B: Bright blackish spray of crystals 4 mm in size implanted in a cavity in matrix with quartz crystals and a $\frac{1}{4}$ " clear Topaz crystal. $2\frac{1}{4} \times 1\frac{1}{4} \times 1$ " , £4.75p
71. PSEUDOMALACHITE. Old Gunnislake Mine, Gunnislake, Cornwall. Specimen A: Rich deep green masses with quartz and greyish chalcocite. $3\frac{1}{2} \times 3 \times 1\frac{1}{2}$ " , £4.75p. Specimen B: As specimen A, $3 \times 2 \times 1\frac{1}{2}$ " , £3.50p. Specimen C: Rich dark greenish veinlets and masses with quartz. $1\frac{1}{4} \times 1\frac{1}{2} \times 1\frac{1}{4}$ " , £1.50p
72. PYRARGYRITE. Morococha, Lima Prov., Peru. Bright deep reddish portion of a large crystal showing some well developed faces. $1 \times \frac{1}{2}$ " , £4.00
73. PYRITES. Levant Tal, Carinthia, Austria. Bright brassy cubic crystals to $\frac{1}{2}$ " in size partly embedded in a light coloured schist. $3\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ " , £9.00
74. PYRITES. Quiruvilca, Libertad Dept., Peru. Sharp bright golden single cubic striated crystals and crystal groups, with individual crystals to over 1" in size. Specimens approx $1\frac{1}{2} \times 1\frac{1}{2}$ " in size, £2.50p each.
75. PYROMORPHOTE. Rosenberg Mine, Braubach, Ems-Nassau, Germany. Interlocking mass of lustrous light brown hexagonal crystals, some showing parallel growth, to $\frac{1}{4}$ " in size. $2\frac{1}{4} \times 1\frac{1}{2} \times 1$ " , £23.00
76. QUARTZ. Mickey Green Mine, Ouray, Colorado, U.S.A. A fine group of lustrous milky long slender sharp terminated crystals to 2" in length with odd small creamy Calcite crystals in places. The specimen is very fine for display and rather resembles a hedgehog in appearance. $4\frac{1}{2} \times 4 \times 3$ " , £40.00
77. QUARTZ. Hot Springs, Garland Co., Arkansas, U.S.A. A glassy clear well formed and terminated crystal with odd smaller crystals attached. $3\frac{1}{4}$ " long by $1\frac{1}{2} \times 1\frac{1}{4}$ " across the axis. £5.00
78. QUARTZ. St. Gotthard, Ticino, Switzerland. A large mostly transparent glassy well formed and terminated chunky crystal with inclusions of greenish Chlorite scales and thin rods of Hornblende. 5" long by $3\frac{1}{2} \times 2\frac{1}{2}$ " across the axis. £24.00

79. RUBY CORUNDUM. Mysore, India. Specimen A: Fine lustrous well formed raspberry-red hexagonal crystals to 1 cm in size richly scattered in gneiss with a little creamy calcite. $4 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £9.00. Specimen B: Fine sharp raspberry-red hexagonal crystal $\frac{1}{2}$ " in size partly embedded in gneiss matrix with creamy calcite and several other ruby-corundum crystals. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £4.75p. Specimen C: Fine sharp raspberry-red crystal 1 cm in size implanted on gneiss matrix with another crystal over $\frac{1}{2}$ " in size. $2 \times 1\frac{1}{2}$ ", £3.75p
80. SCAPOLITE. Bancroft, Ontario, Canada. An intergrown group of large well formed and terminated crystals of a creamy colour to $1\frac{1}{2}$ " in size. Some of the crystals have a blackish-green coating of chlorite. $3\frac{1}{2} \times 3\frac{1}{2} \times 3\frac{1}{2}$ ", £8.00
81. SCHEELITE. Zinnwald, Bohemia, C.S.S.R. Sharp lustrous light brown octahedral crystals mostly around 3 mm in size richly scattered over Quartz with a little Zinnwaldite mica. $2 \times 1\frac{1}{4}$ ", £14.00
82. SCHEELITE. Devon Friendship Mine, Marytavy, Devon. Lustrous light orangey spots in quartz with silvery Arsenopyrite. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £1.50p
83. SKUTTERUDITE. Bou Azzer, Jbel Sarhro, Morocco. Bright silvery sharp crystals to 3 mm in size intergrown on massive skutterudite. Pieces approx 1×1 ", £2.25p each.
85. SMITHSONITE. Tsumeb, Otavi, S.W. Africa. Sharp rhombic creamy crystals to 5 mm in size richly covering large areas of a group of interlocking lustrous glassy to slightly smoky twinned CERUSSITE crystals to 1" in size. $3 \times 2\frac{1}{2} \times 1\frac{3}{4}$ ", £15.50p
86. SMITHSONITE. Sheshodonnell Mine, Co. Clare, Ireland. Silky light yellow botryoidal mass thickly covering matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £4.75p
87. SOGDIANITE. Wessels Mine, Hotazel, Cape Province, S. Africa. Rich purplish mass with minor ironstone. Specimen A: $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £6.50p. Specimen B: $1\frac{1}{2} \times 1 \times 1$ ", £4.75p
88. SPHALERITE. Naica, Chihuahua, Mexico. Bright black sharp crystals to $\frac{1}{2}$ " in size scattered over matrix with well crystallised brassy Pyrites and a little creamy Dolomite. $3\frac{3}{8} \times 2\frac{3}{8} \times 1\frac{1}{2}$ ", £8.00
89. SPHALERITE variety RUBY BLENDE. Příbram, Bohemia, C.S.S.R. Small reddish sharp crystals richly covering areas on large lustrous light brown lenticular SIDERITE crystals to $\frac{1}{2}$ " in size thickly covering matrix. $3\frac{1}{2} \times 2\frac{3}{8} \times 1\frac{1}{4}$ ", £23.00
90. STOLZITE. Zinnwald, Bohemia, C.S.S.R. Small lustrous light brown crystals to 2 mm in size scattered on quartz. $1\frac{1}{2} \times \frac{3}{4} \times \frac{3}{4}$ ", £14.00
91. TETRAHEDRITE. Casapalca, Lima Prov., Peru. Bright silvery-grey sharp crystals to 1 cm in size scattered on matrix with numerous bright metallic grey cubic GALENA crystals to 5 mm in size. $4 \times 3\frac{1}{2} \times 1\frac{1}{4}$ ", £26.50p
92. TURQUOISE. Bunny Mine, St. Austell, Cornwall. Rich turquoise-blue masses with minor quartz. Specimen A: $2\frac{3}{8} \times 1\frac{3}{8} \times 1\frac{1}{2}$ ", £2.50p. Specimen B: $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £1.25p
93. URANINITE. Wheal Bray, Altarnun, Cornwall. Rich lustrous black masses and veinlets in reddened granite with a little orangey Gummite. $2\frac{1}{4} \times 2 \times 1\frac{1}{4}$ ", £4.75p
94. VOLBORTHITE. Monument Mine, Navajo Co., Arizona, U.S.A. Lime-green minute crystals and crystalline patches on matrix. $1\frac{1}{2} \times 1$ ", £1.75p
95. WAVELLITE. Hot Springs, Garland Co., Arkansas, U.S.A. Specimen A: Choice lustrous light green hemispherical radiated masses and with some showing well crystallised surfaces, to nearly $\frac{3}{4}$ " in diameter, covering large areas and lining cavities in a brecciated matrix. $4\frac{1}{4} \times 4 \times 3$ ", £24.00. Specimen B: Fine dark apple-green hemispherical masses with a well crystallised surface to $\frac{3}{4}$ " in diameter intergrown on matrix. $2 \times 1\frac{1}{4} \times 1$ ", £18.00. Specimen C: Light green radiated hemispherical masses some with a crystallised surface, to $\frac{3}{4}$ " in diameter covering a $2\frac{1}{4} \times 1\frac{1}{2}$ " area of matrix. $2\frac{1}{2} \times 2\frac{1}{4} \times 1\frac{1}{4}$ ", £14.00
96. WULFENITE. Stephanie Mine, Mezica, Yugoslavia. Choice lustrous orangey hemimorphic crystals to 8 mm in size forming an intergrown mass with no matrix. Very good specimen for this locality. $2\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £24.00
97. YODERITE. Mautia Hill, Tanzania. Blackish crystals and crystal sections to $\frac{1}{2}$ " in length richly embedded in muscovite mica-schist. Specimen A: $3 \times 2\frac{3}{4}$ ", £7.00. Specimen B: $2\frac{1}{2} \times 2$ ", £5.75p. Specimen C: $1\frac{1}{2} \times 1\frac{1}{2}$ ", £3.50p