

RICHARD W. DARSTOW

DRAKEWALLS HOUSE, DRAKEWALLS,
GUNNISLAKE, CORNWALL, ENGLAND.

TEL.NO.: Tavistock 832381
(STD 0822)

V.A.T. No.: 132-7852-67

ORDERING INFORMATION

Mail orders are promptly filled and despatched on a 7-day examination basis, subject to approval. Immediate refund guaranteed on return of the specimen(s) in good condition.

Please quote the name and number of the specimen(s) required and enclose P.O./Cheque with order. All prices are inclusive of V.A.T.

No charge is made for postage and packing, except for overseas customers and postage over 75p.

We reserve the right to make slight substitutions, if necessary, unless advised to the contrary.

Special requests and "wants lists" are welcome.

We hope that we may be of some service to you, and assure you of our best attention at all times.

SEPTEMBER 1980

1. ACANTHITE. Batopilas, Chihuahua, Mexico. Greyish masses associated with sphalerite and pyrites covering calcite and quartz matrix. $3 \times 2 \times 1\frac{1}{2}$ ", £6.00
2. ADAMITE. Tsumeb, Otavi, S.W. Africa. Lustrous sharp yellowish crystals to 5 mm in size richly scattered over creamy-white needle SMITHSONITE crystals covering matrix. $4\frac{1}{2} \times 3$ ", £34.00
3. ANATASE. Prenteg, near Tremadog, Carnarvonshire, N. Wales. Sharp lustrous blackish crystals to 2 mm in size scattered on matrix with a little Quartz. $2 \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £4.75p
4. APATITE. Ehrenfriedersdorf, Saxony, Germany. Transparent to translucent lavender coloured well formed hexagonal crystals to over $\frac{1}{4}$ " in size scattered and intergrown in cavities in quartz. $2\frac{3}{4} \times 2 \times 1\frac{1}{4}$ ", £14.00
5. APOPHYLLITE. Zinc Corp. Mine, Broken Hill, N.S. Wales, Australia. Sharp bright colourless crystals to $\frac{1}{2}$ " in size intergrown on mangancalcite. $3 \times 1\frac{3}{4}$ ", £8.00
6. ARAGONITE variety FLOS-FERRI. Eisberz, Styria, Austria. Choice silky white ramifying tubose mass, excellent specimen for display. $5 \times 4\frac{1}{2}$ ", £16.00
7. ARSENOPYRITE. Santa Eulalia, Chihuahua, Mexico. Bright silvery sharp crystals to 1 cm in size thickly covering matrix with odd small quartz crystals. 2×2 ", £5.75p
8. AURICALCITE. 79 Mine, Gila Co., Arizona, U.S.A. Bluish-green radiating aggregates of crystals thickly covering limonitic matrix with a little colourless crystallised Hemimorphite. $4\frac{1}{2} \times 3\frac{3}{4}$ ", £28.00
9. AXINITE. Colebrook Mine, Roseberry, Tasmania, Australia. Sharp lustrous clove-brown crystals to $\frac{1}{2}$ " in size dotted on matrix with quartz crystals and silky actinolite. $3 \times 2\frac{1}{2} \times 2$ ", £12.00
10. AZINITE. Botallack Head, St. Just, Cornwall. Lustrous sharp translucent brown crystals to 5 mm in size thickly lining a $1\frac{1}{2} \times 1\frac{1}{4}$ " cavity in matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £9.00
11. AZURITE. South Caradon Mine, St. Cleer, Cornwall. Rich bright blue mass associated with minor green Malachite and blackish Melanconite. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £9.00
12. AZURITE. Tomsk, Siberia, Russia. Sharp bright blue terminated crystals to over $\frac{1}{2}$ " in length intergrown on one end of quartz matrix. $2 \times 1\frac{1}{2}$ ", £24.00
13. BENITOITE. San Benito Co., California, U.S.A. Specimen A: Very choice lustrous light blue sharp crystals to $\frac{3}{4}$ " in size scattered all over and partly embedded in natrolite covering serpentine matrix. $6 \times 3\frac{3}{4}$ ", £78.00. Specimen B: Choice large light blue sharp crystals to nearly 1" in size scattered on and partly embedded in natrolite and serpentine matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £58.00.

- 14. BERTHIERITE. Herja, Rumania. Solid greyish metallic mass. $1\frac{1}{2} \times 1\frac{1}{2}$ " , £2.50p
- 15. BERYL. Governador Veladeras, Minas Gerais, Brazil. Well formed greenish hexagonal crystal with transparent areas and flat end terminations. $2\frac{1}{2} \times 2 \times 2\frac{1}{4}$ " , £14.00
- 16. BOULANGERITE. Wheal Boys, St. Endellion, Cornwall. Silvery-grey tarnished needle crystals and fibrous masses associated with milky quartz and a little sphalerite. $2\frac{1}{2} \times 2 \times 1$ " , £8.00
- 17. BRAZILIANITE. Mantena, Minas Gerais, Brazil. Lustrous lime-green crystalline mass showing some well formed crystals in cavities. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ " , £8.00
- 18. CUSTAMITE. Meldon, Dartmoor, Devon. Rich light brownish bladed crystalline masses with minor matrix. Specimen A: $2\frac{1}{2} \times 2\frac{1}{2}$ " , £2.75p. Specimen B: $2 \times 1\frac{1}{4} \times 1\frac{1}{4}$ " , £1.75p
- 19. CALCITE. Blackdene Mine, Weardale, Co. Durham. Sharp translucent milky-white flat 'nailhead' crystals to 1" in size stacked one-upon-another and intergrown all over fluorite matrix. $4 \times 3\frac{1}{2} \times 1\frac{1}{4}$ " , £14.00
- 20. CALEDONITE. Redgill Mine, Caldbeck Fells, Cumberland. Small bluish crystals richly lining a $\frac{3}{4}$ " cavity in quartz matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ " , £7.00
- 21. CALLAGHANITE. Gabbs, Nye Co., Nevada, U.S.A. Rich bright blue crystalline crystals on matrix. $2\frac{1}{4} \times 1\frac{1}{2} \times 1$ " , £4.75p
- 22. CASSITERITE. Kit Hill Mine, Stoke Climeland, Cornwall. Sharp lustrous brown twinned crystal 1 cm in size implanted on quartz/greisen matrix. $2\frac{1}{4} \times 2 \times 1\frac{1}{4}$ " , £16.00
- 23. CASSITERITE. Asturias, Spain. Dark brown large crude crystals intergrown together with a little quartz and muscovite mica. $2\frac{1}{2} \times 2 \times 2$ " , £24.00
- 24. CANAVESITE. Drosso Mine, Ivrea, Italy. Specimen A: Bright creamy-white radiating aggregates of needle crystals covering large areas of matrix. $4 \times 3\frac{1}{4} \times 1\frac{1}{4}$ " , £12.00. Specimen B: Silky creamy-white radiating aggregates of needle crystals covering matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ " , £7.00. Specimen C: As specimen B, but not so rich, $1\frac{1}{2} \times 1\frac{1}{2}$ " , £3.50p
- 25. CHALCOGITE replaced by bornite and chalcopyrite. St. Ives Consols Mine, St. Ives, Cornwall. Large iridescently tarnished platy crystals to $\frac{1}{2}$ " in size intergrown together with a little quartz. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ " , £14.00
- 26. CHROME-CERUSSITE. Kapi Mine, Dundas, Tasmania, Australia. Lustrous pale yellowish sharp crystals to 4 mm in size lining large cavities in a cellular matrix. $1\frac{1}{4} \times 1\frac{1}{4}$ " , £7.00
- 27. CHROMITE. Phillipine Islands. Very rich bright black slightly crystalline mass. $2 \times 1\frac{1}{4} \times 1\frac{1}{2}$ " , £2.75p
- 28. CINNABAR. Almaden, Ciudad Real, Spain. Bright reddish crystalline masses covering joints in dark quartzite matrix with odd small cavities lined with well formed crystals $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ " , £7.00
- 29. CLINOCLASE. American Eagle Mine, Tintic district, Utah, U.S.A. Lustrous deep bluish spherical crystal aggregates to 5 mm in diameter scattered on quartz/chalcoite matrix with a little crystallised Azurite and a bright green platy crystalline patch of Tyrolite. $2\frac{3}{4} \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £46.00
- 30. CLINOPTILOLITE. Succor Creek, Malheur Co., Oregon, U.S.A. Transparent sharp crystals to 3 mm in size lining a $1\frac{1}{2} \times 1\frac{1}{4}$ " cavity in matrix. $2 \times 2 \times 1\frac{1}{4}$ " , £3.50p
- 31. COLEMANITE. Boron, California, U.S.A. Lustrous transparent colourless sharp bladed crystals to $\frac{3}{4}$ " in size thickly intergrown and stacked one-upon-another on crystalline colemanite matrix. $4 \times 3 \times 2\frac{1}{2}$ " , £18.00
- 32. COLUMBITE. Ivigtut, Greenland. Sharp blackish crystal 5 mm in size embedded in matrix with odd plates of molybdenite. $1\frac{1}{2} \times 1$ " , £4.75p
- 33. NATIVE COPPER. West Garadon Mine, St. Cleer, Cornwall. Very rich heavy crystalline mass with odd fragments of quartz. $3 \times 2 \times 1\frac{1}{2}$ " , £16.00
- 34. NATIVE COPPER. Mufulira Mine, Zambia. Groups of bright coppery sharp elongated spiky crystals, very pretty little specimens. Specimens each approx $1\frac{1}{4}$ - $1\frac{1}{2}$ " in size, £3.50p each.

35. CROCOITE. Kapi Mine, Dundas, Tasmania, Australia. Lustrous orangey-red sharp elongated terminated crystals to $\frac{1}{2}$ " in length scattered and intergrown all over limonitic matrix. $4 \times 3\frac{3}{4}$ ", £18.00
36. CUPRITE. Chessy, Rhone, France. Deep reddish crystalline vein-section with odd well formed crystals in places and a little silky green malachite. $2\frac{1}{2} \times 1\frac{1}{2}$ ", £7.00
37. DAUSONITE. Terlano, Bolzano, Italy. Specimen A: Creamy-white needly crystals lining cavities to $\frac{1}{2}$ " in size in matrix. $2\frac{3}{8} \times 2 \times 1\frac{1}{4}$ ", £9.00. Specimen D: Creamy-white needly crystals associated with quartz in a $\frac{3}{4}$ " cavity on one side of matrix. $2 \times 1\frac{1}{4}$ ", £5.00. Distinct crystals of Dawsonite are rather rare.
38. DUFTITE. Tsumeb, Otavi, S.W. Africa. Lime-green crystalline crust covering a group of crudely formed large greyish Tennantite crystals with crystal faces to over 1" in size. $2\frac{1}{2} \times 1\frac{1}{2} \times 1"$, £4.75p
39. ERYTHRITE. Bou Azzer, Djebel Sarhro, Morocco. Lustrous reddish sharp crystals to 4 mm in size scattered in a $\frac{3}{4}$ " cavity in calcite matrix. $2\frac{3}{8} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £9.00
40. FLUORITE. Milltown Qry., Ashover, Derbyshire. Transparent cubic crystals to 1" in size with inclusions of Pyrites and an unusual iridescent film on the crystal faces; intergrown on matrix. The specimen was collected by Sir Arthur Russell in April 1934, and is accompanied by one of his hand-written labels. $3 \times 2\frac{1}{4} \times 1\frac{1}{2}$ ", £8.00
41. FLUORITE. Deamont Mine, Allenheads, Northumberland. Transparent bright greyish to pale purplish sharp twinned cubic crystals to over $\frac{1}{2}$ " in size thickly covering matrix with a little creamy crystallised Dolomite. $4\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ ", £16.00
42. GALENA. Trepcza, Yugoslavia. Very bright silvery-grey sharp modified crystals showing interesting growth patterns on their faces, to $1\frac{1}{4}$ " in size, forming an intergrown group with a little creamy crystallised calcite. $2\frac{3}{8} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £28.00
43. GALENA. Blackdene Mine, Weardale, Co. Durham. Bright silvery-grey sharp cube-octahedral crystal 1" in size with several smaller crystals associated with transparent light purplish cubic Fluorite crystals and a little creamy Calcite. $2 \times 1\frac{3}{8} \times 1\frac{1}{2}$ ", £7.00
44. GOETHITE. Wheal Cock, St. Just, Cornwall. Bright blackish botryoidal mass covered in minute sparkling crystals. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.75p
45. NATIVE GOLD. Northern Territories, Australia. Small golden flakes scattered in blackish magnetite matrix. Specimens each approx 1" in size, £1.50p each.
46. NATIVE GOLD. Argentina, S. America. Rich golden flakes scattered over the surface and one side of a quartzose matrix. An old label is attached to the specimen. $3 \times 1\frac{3}{8} \times 1\frac{1}{2}$ ", £24.00
47. HARMOTOME. Bellsgrove Mine, Strontian, Argyllshire, Scotland. Lustrous creamy-white sharp twinned crystals to 1 cm in size intergroup and scattered on calcite matrix. $3 \times 2\frac{1}{4} \times 1\frac{3}{8}$ ", £9.00
48. HEMATITE variety Pencil Ore. Hodbarrow Mine, Millom, Cumberland. Shining reddish-brown fibrous mass. $2 \times 2 \times 1"$, £5.00
49. HEMIMORPHITE. La Esmeralda Mine, Chihuahua, Mexico. Silky sky-blue botryoidal mass covering matrix. Attractive specimen for display. $3\frac{1}{2} \times 2\frac{3}{8} \times 1\frac{1}{2}$ ", £9.00
50. HEMIMORPHITE. Greenside Mine, Patterdale, Westmoreland. Specimen A: Pale bluish botryoidal masses covering quartz and barytes matrix. $3 \times 2 \times 1\frac{1}{4}$ ", £3.00. Specimen D: Pale bluish botryoidal masses lining small cavities in cellular quartz and barytes. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £2.50p
51. KLEDELSDERGITE. Pereta, Grosseto, Italy. Silky green radiating needly crystal aggregates lining cavities in rich silvery-grey bladed Stibnite matrix, with crusts of reddish Kermesite. Specimens are priced according to richness rather than size. Specimen A: $2\frac{3}{8} \times 2\frac{3}{8} \times 1\frac{3}{8}$ ", £14.00. Specimen D: $3 \times 1\frac{1}{2} \times 1"$, £9.00. Specimen C: $1\frac{1}{4} \times 1 \times 1"$, £2.75p
52. LINARITE, Redgill Mine, Caldbeck Fells, Cumberland. Bright blue bladed crystals forming an intergrown mass on one side of quartz matrix. $1 \times 1"$, £7.00
53. LUDWIGITE. Grosso Mine, Ivrea, Italy. Rich blackish radiating fibrous masses with minor pyrrhotite. Specimen A: $3 \times 2\frac{1}{4} \times 1\frac{1}{4}$ ", £8.00. Specimen D: $2\frac{1}{2} \times 1\frac{3}{8} \times 1"$, £4.75p. Specimen C: $1\frac{1}{2} \times 1 \times 1"$, £1.75p

- 54. MALACHITE. Kambove, Katanga, Zaire. Bright emerald-green sharp crystals to 5 mm in size thickly lining a $1\frac{3}{4} \times 1$ " cavity on matrix. $2\frac{1}{4} \times 1\frac{3}{4}$ ", £14.00
- 55. MALACHITE. Browns Claim, Rum Jungle, N. Terr., Australia. Bright green fibrous botryoidal masses with minor cerussite. Pieces each approx 1" in size, £0.40p each.
- 56. MIMETITE. Tsumeb, Otavi, S.W. Africa. Lustrous pale yellowish elongated crystals to $\frac{1}{4}$ " in length scattered and intergrown on matrix. $2 \times 2 \times 1\frac{1}{4}$ ", £8.00
- 57. MOLYBDENITE. Climax Mine, Colorado, U.S.A. Greyish foliated plates scattered on and in matrix. $1\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £1.50p
- 58. NIOCALITE. Oka, Quebec, Canada. Light brownish crystal sections scattered in calcite matrix. $2\frac{1}{2} \times 2$ ", £4.25p
- 59. ONORATOITE. La Cetine Mine, Siena, Italy. Specimen A: Creamy-white radiating silky fibrous crystal aggregates scattered in small cavities in stibnite and quartz matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £12.00. Specimen B: Creamy-white silky fibrous crystal mass 4 mm in size implanted in a cavity in stibnite/quartz matrix. $1\frac{1}{2} \times 1\frac{1}{4} \times 1$ ", £6.00
- 60. PARAHOPPEITE. Broken Hill, Zambia. Small creamy-white crystals covering sharp well formed transparent TARBOUTTITE crystals to 5 mm in size covering cellular limonitic matrix. $1\frac{1}{4} \times 1$ ", £4.75p
- 61. PARSONSITE. Mine la Poye, Grury, Saone-et-Loire, France. Bright yellow crust of minute acicular crystals covering matrix. $2 \times 1 \times 1$ ", £3.50p
- 62. PENTLANDITE. Bushveld, South Africa. Rich bronzey metallic mass with minor pyrites and chalcopyrite. $2\frac{1}{2} \times 1\frac{1}{2}$ ", £4.75p
- 63. PHARMACOSIDERITE. Wheal Pendarves, Camborne, Cornwall. Small sharp bright green cubic crystals lining cavities in quartz/tourmaline/arsenopyrite matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £5.75p
- 64. PHILLIPSITE. Gads Hill, Tasmania, Australia. Sharp lustrous creamy-white crystals to 4 mm in size lining large cavities in basalt. Specimen A: $3\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £6.00. Specimen B: - with a little crystallised Chabazite in association - $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £4.75p
- 65. PLANCHEITE. Msesa, Shaba Province, Zaire. Very rich sky-blue fibrous radiating mass with green crystalline Malachite, $2 \times 1\frac{1}{2} \times 1$ ", £13.00
- 66. POLYBASITE. Rayas Mine, Guanajuato, Mexico. Rich silvery-grey metallic masses with a little chalcopyrite and quartz in association. Pieces approx $\frac{3}{4}$ "-1" in size, £1.50p each.
- 67. POSNJAKITE. Drokewalls Mine, Gunnislake, Cornwall. Sky-blue small well formed crystals scattered on slate. $4\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £8.00
- 68. PREHNITE. Bourg d'Oisans, Isere, France. Sharp transparent colourless to pale greenish crystals to nearly $\frac{1}{2}$ " in size thickly intergrown and covering matrix. Fine old specimen. $4\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ ", £75.00
- 69. PYRRHOTITE. Hiendelaencina, Guadalajara, Spain. Deep reddish well formed terminated crystals and crystal sections to 7 mm in size intergrown and scattered on matrix with a little sphalerite. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £48.00
- 70. PYRITES. Mina San Cristobal, Huancavelica, Peru. Sharp bright pyritohedral crystals to $\frac{1}{2}$ " in size scattered all over matrix and associated with slender milky Quartz crystals to $\frac{1}{2}$ " in length. $3\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £16.00
- 71. PYRITES. Penlee Qry., Newlyn, Cornwall. Bright golden cubic crystals to $\frac{1}{2}$ " in size intergrown on matrix with a little chalcopyrite. $2 \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £3.75p
- 72. PYRITES replacing PYRRHOTITE. Trepca, Yugoslavia. Sharp hexagonal pyrrhotite crystals to $\frac{3}{4}$ " in diameter replaced by pyrites dotted on quartzose matrix with slender milky quartz crystals and a little sphalerite. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £19.00
- 73. PYROMORPHITE. Broken Hill, N.S. Wales, Australia. Lustrous light brown divergent sprays of crystals to $\frac{1}{4}$ " in size forming a pure cellular crystallised mass. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £18.00
- 74. PYROMORPHITE. Broken Hill, Zambia. Lustrous light green sharp slightly tapering hexagonal crystals to 5 mm in size thickly covering a cellular limonitic matrix. $3 \times 2\frac{1}{2}$ ", £34.00

75. PYROXMANGITE. North Mine, Broken Hill, N.S. Wales, Australia. Lustrous raspberry-red crystal sections to 1" in size richly embedded in galena and sphalerite matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £12.00
76. RHODOCHROSITE. Kassandra, Chalkidiki, Greece. Very choice light pink columnar mass of small well formed crystals with a little crystallised Sphalerite in association. Fine display specimen. $6 \times 4 \times 2\frac{1}{4}$ ", £86.00.
77. RUBELLITE. Himalaya Mine, San Diego Co., California, U.S.A. Lustrous pinkish elongated hexagonal crystal sections to 1" in length thickly embedded in light lavender coloured lepidolite matrix. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £12.00
78. SCORODITE. Wheal Gorland, St. Day, Cornwall. Pale greyish-green hemispherical crystal masses to 4 mm in diameter richly scattered in cavities in cellular quartzose matrix with minute sparkling crystals of Pharmacosiderite. $3\frac{1}{4} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £18.00
79. SIDERITE. Wheal Crebor, near Tavistock, Devon. Lustrous dark brown well formed platy hexagonal crystals to 5 mm in size very richly covering a cavernous matrix with small spiky Quartz crystals in association. $4 \times 3 \times 1\frac{1}{4}$ ", £9.00
80. NATIVE SILVER. Smuggler Mine, Aspen, Colorado, U.S.A. Small tarnished silvery wires and curls lining cavities and infilling joints in a narrow quartz veinlet cutting a rich sphalerite/acanthite matrix. $4 \times 2\frac{1}{2} \times 1$ ", £18.00
81. NATIVE SILVER. Batopilas, Chihuahua, Mexico. Rich tarnished metallic nuggety mass with quartz; one side has been cut and polished. $1 \times 1 \times 1$ ", £24.00
82. NATIVE SILVER. Kearsage Mine, Keweenaw Pen., Michigan, U.S.A. Silvery masses with dark tarnished Native Copper. $1 \times 1 \times \frac{1}{2}$ ", £4.75p
83. SMALTITE/CODALTITE. St. Austell Consols Mine, St. Stephen-in-Drannel, Cornwall. Rich greyish mass with a little quartz. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £3.75p
84. SMITHSONITE. Broken Hill, N.S. Wales, Australia. Lustrous transparent pale lime-green 'rice-grain' crystals to 5 mm in size encrusting an intergrown mass of crystallised CERUSSITE with minor limonite. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £9.00
85. SMITHSONITE. Tsumeb, Otavi, S.W. Africa. Specimen A: Transparent sharp rose-pink coloured rhombic crystals to $\frac{1}{4}$ " in size lining a $1\frac{1}{2} \times 1$ " cavity in matrix with pale creamy-yellow pyromorphite. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £9.00. Specimen B: Pale lime-green sharp crystals to 5 mm in size scattered on a cellular matrix with creamy crystallised calcite. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £7.00
86. SPESSARTITE GARNET. North Mine, Broken Hill, N.S. Wales, Australia. Specimen A: Well formed lustrous orangey-red crystals to 1 cm in size covering most of the surface of garnet/galena matrix with minor chalcopyrite and sphalerite. $3\frac{1}{2} \times 2\frac{3}{4} \times 1\frac{1}{2}$ ", £14.00. Specimen B: Bright orangey well formed crystals to 1 cm in size intergrown on massive garnet and galena matrix. $3 \times 2\frac{1}{4} \times 1\frac{1}{2}$ ", £12.00
87. SPHALERITE. Trepca, Yugoslavia. Choice sharp bright black crystals to $\frac{1}{2}$ " in size forming an intergrown group with a little creamy crystallised Calcite in association. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{4}$ ", £28.00
88. SPHALERITE. Wheal Jane, Kea, Cornwall. Bright black crystals and crystal sections to $\frac{1}{2}$ " in size associated with slender milky Quartz crystals and Pyrites crystals covering matrix. $3\frac{1}{4} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £9.00
89. SPHALERITE. Nentsberry Mine, Alston Moor, Cumberland. Bright black sharp composite crystals to 1 cm in size thickly covering matrix. $2\frac{1}{2} \times 2$ ", £3.50p
90. SPHALERITE. Great Loxey Mine, Isle of Man. Lustrous black sharp crystals to 1 cm in size thickly covering a hacked quartz matrix. $6\frac{1}{2} \times 4\frac{1}{2} \times 2\frac{1}{2}$ ", £24.00
91. STANNITE. Dunny Mine, St. Austell, Cornwall. Greyish metallic mass associated with much yellowish VARLAMOFFITE covering greisen matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.25p
92. STIBNITE. Schemnitz, Czechoslovakia. Bright silvery-grey bladed mass with barytes. $3\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £8.00
93. STILOITE. Garrowilla, N.S. Wales, Australia. Choice lustrous orangey coloured sharp large tabular crystals to $1\frac{1}{2}$ " in size forming an intergrown group. $2\frac{1}{2} \times 2\frac{1}{4} \times 1\frac{3}{4}$ ", £14.00

94. TEKTITE variety Indochinite. Pailin district, Thailand. Specimen A: Large blackish rounded mass with a slightly raised edge. $1\frac{1}{2} \times 1\frac{3}{4} \times 1$ ", £24.00. Specimen B: Rounded blackish mass, $1 \times \frac{3}{4} \times \frac{1}{4}$ ", £9.00
95. TOPAZ. San Felipe, Guanajuato, Mexico. Very choice transparent sherry-coloured terminated crystals to over 1" in length scattered on matrix with odd small plates of hematite and creamy-white botryoidal masses of Hyalite Opal. $4 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £48.00
96. TOPAZ. Rop Tin Mine, Jos, Nigeria. Transparent pale bluish slightly worn well terminated crystal from an alluvial deposit. $1\frac{1}{2} \times 1 \times 1$ ", £14.00
97. TORBERNITE. Musonoi, Shaba Province, Zaire. Bright emerald-green tabular crystals to 5 mm in size scattered and intergrown on matrix. $1\frac{1}{2} \times 1\frac{1}{4}$ ", £8.00
98. TRIPHITE. Abravazos, Beira-Alta, Portugal. Resinous dark brown mass. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £3.00
99. VAUQUELINITE. Beresovsk, Ekaterinburg, Russia. Minute dark brownish sparkling crystals covering small areas of matrix. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £4.75p
100. VIVIANITE. Wannan Falls, Coleraine, Victoria, Australia. Dark bluish-black bladed crystals to $\frac{3}{4}$ " in length forming an intergrown divergent mass. $2\frac{1}{2} \times 1\frac{3}{4} \times 1\frac{1}{2}$ ", £9.00
101. WAVELLITE. Highdown Qry., Filleigh, Devon. Choice silky creamy coloured large radiating crystallised masses to 1" in diameter covering most of the surface of a dark slaty matrix. $3\frac{1}{2} \times 2\frac{1}{2}$ ", £14.00
102. WOLFRAMITE. Stanbear Cott Wolfram Prospect, Linkinhorne, Cornwall. Black bladed masses in milky quartz. Specimen A: $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £2.50p. Specimen B: $1\frac{3}{4} \times 1\frac{1}{2} \times 1$ ", £1.25p
103. WOLFRAMITE. Buttern Hill, Bodmin Moor, Cornwall. Three rolled alluvial pebbles associated with a little quartz; each pebble approx 1" in size. £1.50p lot.
104. WOLFRAMITE. Panasqueira, Beira-Beixa, Portugal. Superb bright black sharp terminated tabular crystals forming an intergrown group with a little light brown lenticular crystallised Siderite on one side. The largest crystal is $2\frac{1}{2} \times 2$ " in size and is doubly terminated. $3\frac{1}{2} \times 2\frac{1}{2} \times 2$ ", £100.00
105. WULFENITE. Toussit, near Oujda, Morocco. Lustrous orangey sharp tabular crystals to $\frac{1}{2}$ " in size free-standing and thickly intergrown on a cellular limonitic matrix. $4 \times 3\frac{1}{4} \times 2\frac{3}{4}$ ", £42.00
106. WULFENITE. Los Lamentos, Chihuahua, Mexico. Bright translucent orangey blocky crystals to 1 cm in size thickly intergrown on limonitic matrix. $3 \times 2 \times 1\frac{1}{2}$ ", £17.00
107. WULFENITE. Tsumeb, Otavi, S.W. Africa. Large orangey-brown sharp well formed tabular composite crystal with a little limonite attached. $1\frac{1}{2} \times 1$ ", £8.00
-