

RICHARD W. BARSTOW

Drakewalls House, Drakewalls,
GUNNISLAKE, CORNWALL, ENGLAND.

TEL. NO.: Tavistock 832381
(STD 0822)

V.A.T. No.: 132-7852-67

ORDERING INFORMATION

Mail orders are promptly filled and despatched on a 7-day examination basis, subject to approval. Immediate refund guaranteed on return of the specimen(s) in good condition.

Please quote the name and number of the specimen(s) required and enclose P.O./Cheque with order. All prices are inclusive of V.A.T.

No charge is made for postage and packing, except for overseas customers and postage over 75p.

We reserve the right to make slight substitutions, if necessary, unless advised to the contrary.

Special requests and wants lists are welcome.

We trust that we may be of some service to you and assure you of our best attention at all times. FEB 1982

1. ALBITE variety PERICLINE. Binental, Valais, Switzerland. Sharp lustrous creamy coloured crystals to 1" in size intergrown and scattered on matrix with chlorite. $4 \times 3 \times 2$ ", £12.00
2. ALMANDINE GARNET. Fauske, Norway. Choice bright sharp very dark reddish crystals scattered on and in a light coloured mica-schist. Specimen A: with crystals to $1\frac{1}{4}$ " in size, 9×4 ", £28.00. Fine display specimen. Specimen B: with crystals to nearly 1" in size. $5\frac{1}{2} \times 4\frac{1}{2}$ ", £16.00. Specimen C: with crystals to nearly 1" in size. $4\frac{1}{2} \times 3\frac{1}{2}$ ", £12.00. Specimen D: with crystals to $\frac{3}{4}$ " in size. $3 \times 2\frac{1}{2}$ ", £6.00
3. ANDRADITE GARNET. Mina La Judia, Badojuz, Spain. Sharp, bright dark olive-coloured crystals to $\frac{3}{4}$ " in size intergrown all over matrix. $3 \times 2\frac{1}{2} \times 2\frac{1}{4}$ ", £8.00
4. ARAGONITE. Monte Poni, near Iglesias, Sardinia. Snowy-white attractive coralloidal crystallised mass. $2\frac{1}{2} \times 2 \times 2$ ", £7.00
5. ARGENTITE. Himmelfurst Mine, Freiberg, Saxony, Germany. Lustrous grey well formed cubic crystals to 5 mm in size intergrown together. $1\frac{1}{2} \times 1$ ", £38.00
6. ARSENOPIRYTE. Parrall, Chihuahua, Mexico. Choice bright silvery sharp crystals to 1 cm in size intergrown and scattered over matrix with a little crystallised Quartz. $4 \times 2\frac{3}{4} \times 1\frac{1}{4}$ ", £24.00
7. ARSENOPIRYTE. Carrock Mine, Caldbeck, Cumberland. Bright silvery flat crystals to $\frac{1}{2}$ " in size embedded in quartz and calcite matrix. $2 \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £2.75p
8. ATACAMITE. Remolinos, Atacama, Chile. Bright dark green sharp crystals to 5 mm in size thickly lining a 1×1 " cavity in crystalline atacamite matrix. $2 \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £18.00
9. AURICHALCITE. 79 Mine, Haygen, Arizona, U.S.A. Turquoise coloured crystal tufts richly covering large areas of limonite matrix with some colourless to creamy crystallised Hemimorphite in association, Nice display piece. $4\frac{1}{2} \times 3\frac{1}{2}$ ", £28.00
10. AXINITE. British Rail Quarry, Meldon, Devon. Specimen A: Bright, sharp partly transparent light brown crystals to 7 mm in size scattered over matrix with light greenish Actinolite and odd bright silvery crystals of Arsenopyrite. 4×3 ", £12.00
Specimen B: Bright sharp partly transparent light brown crystals to 4 mm in size scattered in cavities in matrix with a little crystallised arsenopyrite. $3\frac{1}{2} \times 2\frac{1}{4} \times 2$ ", £8.00
11. AZURITE. Touissit, near Oujda, Morocco. Choice lustrous dark blue sharp crystals to nearly 1" in size intergrown and scattered all over matrix. Fine display piece. $5\frac{1}{2} \times 5\frac{1}{2}$ ", £140.00
12. BARYTOCALCITE. Nentsberry Mine, Alston Moor, Cumberland. Lustrous transparent golden crystals and crystal sprays to $\frac{1}{2}$ " in size thickly lining a $2 \times 1\frac{1}{2}$ " cavity in crystalline witherite matrix. $3\frac{1}{2} \times 3 \times 1\frac{1}{2}$ ", £28.00

13. BASTNAESITE. Mountain Pass Mine, San Bernardino Co., California, U.S.A. Very rich flesh-coloured masses with a little quartz. Specimen A: $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ " , £4.75p. Specimen B: $1\frac{1}{2} \times 1\frac{1}{2}$ " , £3.75p
14. BAUMHAUERITE. Lengenbach Quarry, Binnental, Switzerland. Specimen A: Rich greyish metallic crystalline masses on and in dolomite matrix with a little pyrites and realgar. $2 \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £9.00. Specimen B: -as Specimen A, but not so rich and with no realgar. $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £4.75p
15. BAYLDONITE. Wheal Carpenter, Gwinear, Cornwall. Rich dark apple-green crust of micro crystals covering a large area of matrix. $1\frac{1}{2} \times 1\frac{1}{2}$ " , £2.50p
16. BERYL. Tongafeno, Madagascar. Sharp partly transparent well terminated pale greenish crystal. 2" long by $1\frac{1}{2} \times 1\frac{1}{2}$ " across the axis. £12.00
17. NATIVE BISMUTH. Fahlun, Sweden. Bright metallic crystalline masses in quartz with odd specks of chalcopryrite and patches of silvery-grey WEIBULLITE. $2\frac{1}{2} \times 1\frac{3}{4} \times 1\frac{1}{4}$ " , £9.00
18. NATIVE BISMUTH. Wheal Sparnon, Redruth, Cornwall. Rich tarnished metallic masses in matrix with greyish smaltite. $2 \times 1\frac{1}{2}$ " , £5.75p
19. BOULANGERITE. Tresungers Mine, St. Endellion, Cornwall. Rich silvery-grey crystalline masses scattered in milky quartz with minor arsenopyrite. Specimen A: $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ " , £4.75p. Specimen B: $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ " , £3.50p. Specimen C: $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ " , £2.75p
20. BROCHANTITE. Portales Mine, Bingham, New Mexico, U.S.A. Specimen A: Very rich bright green small crystals and crystal tufts covering most of the surface and areas of the reverse side of matrix. $3\frac{3}{4} \times 3\frac{1}{2}$ " , £14.00. Specimen B: -not so rich as specimen A, $2\frac{1}{2} \times 2$ " , £4.75p.
21. BUSTAMITE. North Mine, Broken Hill, N.S. Wales, Australia. Lustrous rose-coloured sharp crystal section, partly transparent in places. $1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{4}$ " , £3.75p
22. CALCITE. Nampundwe Mine, Lausaka, Zambia. Sharp creamy dog-tooth crystals to 1" in size covering both sides of matrix and with small clusters of brassy Pyrites crystals scattered in places. $4 \times 3 \times 2\frac{1}{2}$ " , £8.00
23. CALCITE. Cammock Eals Mine, Weardale, Co. Durham. Sharp translucent creamy well terminated hexagonal composite crystal with smaller crystals attached on one side. $2\frac{1}{2} \times 2 \times 2$ " , £9.00
24. CALCITE. Herodsfoot Mine, Lanreath, Cornwall. Lustrous creamy nail-head crystals stacked one-upon-another to form pagoda-like groups attaining $\frac{1}{2}$ " in size, implanted on crystallised quartz matrix. $1\frac{1}{2} \times 1\frac{1}{2}$ " , £4.75p
25. CALCITE. Bigrigg, West Cumberland. Sharp, transparent colourless well terminated single crystal. $1\frac{3}{4}$ " long by $\frac{3}{4}$ " across the axis. £4.75p
26. CASSITERITE. Mulberry Mine, Lanivet, Cornwall. Rich dark brownish crystalline masses in quartz matrix with a little scorodite and muscovite. $3\frac{1}{2} \times 2 \times 1\frac{1}{2}$ " , £3.50p
27. CASSITERITE. Pell Mine, St. Agnes, Cornwall. Sharp, bright black terminated prismatic crystals to $\frac{1}{4}$ " in size intergrown on one end of quartz/slate matrix. $2 \times 1\frac{1}{4} \times 1$ " , £16.00
28. CELESTITE. Agrigento, Sicily, Italy. Sharp, lustrous transparent elongated and terminated crystals to nearly $\frac{3}{4}$ " in length completely covering yellowish Sulphur matrix. $2\frac{3}{4} \times 2\frac{1}{4} \times 1\frac{1}{2}$ " , £12.00
29. CERUSSITE. Tynagh Mine, Co. Galway, Ireland. Specimen A: Lustrous creamy-white elongated crystals to over $\frac{1}{2}$ " in length richly intergrown and scattered on bright green botryoidal and fibrous MALACHITE matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ " , £23.00. Specimen B: Sharp lustrous twinned crystals to 4 mm in size scattered on dark green silky botryoidal and fibrous MALACHITE matrix. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ " , £11.00
30. CERUSSITE. Mibladen, Atlas Mts., Morocco. Sharp glassy twinned crystals to $\frac{1}{2}$ " in size associated with lustrous creamy bladed crystallised BARYTES covering matrix. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £10.00
31. CHALCOCITE. St. Ives Consols Mine, St. Ives, Cornwall. Greyish sharp hexagonal crystals to 5 mm in size intergrown in areas and scattered over a limonite and chalcocite veinstuff. $3\frac{1}{2} \times 3\frac{1}{4} \times 1\frac{1}{2}$ " , £68.00

- 32. CHALCOHITE. Carn Area Mine, Illogan, Cornwall. Greyish small sharp hexagonal crystals to 3 mm in size intergrown on large areas of matrix. $1\frac{3}{4} \times 1\frac{3}{4} \times 1\frac{3}{4}$ " , £14.00
- 33. CHALCOPYRITE. Trevaunance Mine, St. Agnes, Cornwall. Choice bright brassy twinned crystals to 1 cm in size scattered on slate matrix with slender clear Quartz crystals and a little Sphalerite. $\frac{3}{8} \times 2 \times 1\frac{1}{4}$ " , £26.00
- 34. COLLINSITE. Francois Lake, B.C., Canada. Light and dark brown banded fibrous mass with minor matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ " , £4.50p
- 35. NATIVE COPPER. Countybridge Quarry, Moonhilly Down, Lizard, Cornwall. Hackly masses and sheets with dark red cuprite and green chrysocolla on serpentine matrix. $3\frac{1}{2} \times 2$ " , £4.50p
- 36. NATIVE COPPER. Wheal Bassot, Illogan, Cornwall. Larnished cellular and crystallised mass with fragments of quartz, some dark reddish cuprite, and patches of blackish melaconite. $3\frac{1}{2} \times 3 \times 1\frac{1}{4}$ " , £14.00
- 37. CROCOITE. Red Lead Mine, Dundas, Tasmania, Australia. Brilliant orange-red group of interlocking thick rod-like crystals with a little matrix. Longest crystals are over 1" in length by $\frac{1}{4}$ " thick, and are partly transparent. $2\frac{1}{2} \times 1\frac{1}{4} \times 1$ " , £74.00
- 38. CUPRITE. Wheal Gorland, St. Iay, Cornwall. Specimen A: Lustrous deep red sharp octahedral crystals to 4 mm in size scattered and intergrown on both sides of quartz matrix, together with a little native copper. $2\frac{1}{4} \times 2 \times 1\frac{1}{4}$ " , £24.00. Specimen B: Bright deep red sharp octahedral crystals to 3 mm in size associated with native copper on quartz matrix. $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ " , £9.00
- 39. DESCLOISITE. Berg Aukas, Otavi, S.W. Africa. Bright dark brown groups of sharp crystals, each approx $1 \times \frac{1}{4}$ " in size, £1.50p each.
- 40. DIOPHASE. Tsunob, Otavi, S.W. Africa. Brilliant emerald-green sharp crystals to $\frac{1}{4}$ " in size thickly intergrown on matrix with a little drusy crystallised calcite. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ " , £52.00
- 41. DOLOMITE. Abbeytown Mine, Co. Sligo, Ireland. Specimen A: Lustrous creamy sharp curved saddle-shaped crystals to 1" in size intergrown on matrix. $3 \times 2 \times 1\frac{1}{2}$ " , £4.75p. Specimen B: As specimen A, with crystals to $\frac{3}{4}$ " in size. $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ " , £3.00
- 42. ECKERMANNITE. Norra Karr, Ostergotsland, Sweden. Rich dark greyish to greenish blades scattered in quartz and calcite matrix. Specimen A: $3 \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £4.75p. Specimen B: $1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$ " , £3.75p
- 43. EPIDOTE. Swakopmund, S.W. Africa. Sharp bright olive-green slender crystals to 5 mm in length scattered all over crystallised Quartz matrix. Specimen A: $2\frac{1}{2} \times 2$ " , £6.00. Specimen B: $1\frac{1}{2} \times 1\frac{1}{4} \times 1\frac{1}{4}$ " , £4.75p
- 44. ERYTHRITE. Bou Azzer, Jbel Sarhro, Morocco. Bright reddish sharp crystals and crystal rosettes to 5 mm in size scattered in cavities to 1" in size in solid greyish siderite matrix. $2\frac{1}{2} \times 2\frac{1}{2} \times 2$ " , £19.50p. Specimen B: Bright reddish sharp crystals to 3 mm in size covering large areas of the surface of skutterudite matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ " , £24.00
- 45. FLUORITE. Cave-in-Rock, Hardin Co., Illinois, U.S.A. Group of lustrous deep purple intergrown cubic crystals to 2" in size, and with the faces showing some parallel growth. Nice display specimen. $4\frac{1}{2} \times 3 \times 2\frac{3}{4}$ " , £16.00
- 46. FLUORITE. Blackdene Mine, Weardale, Co. Durham. Sharp transparent very pale greenish cubic crystals to $\frac{1}{2}$ " in size intergrown all over matrix and partly invested with light brown crystallised SIDERITE and small creamy CALCITE crystals. $4 \times 2 \times 2$ " , £13.00
- 47. FLUORITE. Rotherhope Fell Mine, Alston Moor, Cumberland. Transparent pinkish-purple twinned cubic crystal encrusted with crystals of quartz and siderite on one side. $1\frac{1}{2} \times 1\frac{1}{4} \times 1$ " , £3.50p
- 48. GALENA. Herodsfoot Mine, Lanreath, Cornwall. Sharp greyish modified cubic crystals to 5 mm in size scattered on quartz/slate matrix with quartz and pyrites. 2×2 " , £3.00
- 49. GALENA. Sweetwater Mine, Ellington, Missouri, U.S.A. Specimen A: Choice lustrous grey sharp octahedral crystals to over $\frac{1}{4}$ " in size intergrown and scattered on matrix with a little creamy crystallised dolomite and small brassy crystals of chalcopyrite. $5 \times 3\frac{1}{4}$ " , £34.00. Fine display specimen. Specimen B: Bright grey sharp octahedral crystals to $\frac{1}{2}$ " in size scattered over matrix, together with a cubic crystal and two clear elongated terminated hexagonal Calcite crystals to 1" in length, and minor creamy crystallised dolomite. $4\frac{1}{2} \times 2\frac{1}{2} \times 2$ " , £23.00

- 50. NATIVE GOLD. Ballarat, Victoria, Australia. Small golden masses scattered on milky quartz. $1\frac{1}{2} \times 1\frac{1}{4} \times 1''$, £9.00
- 51. NATIVE GOLD. Hopes Nose, Torquay, Devon. Small bright golden crystallised patches in calcite and limonite matrix. Thumbnail sized pieces, £3.50p each.
- 52. GROSSULAR GARNET variety HESSONITE. Val d'Ala, Piedmont, Italy. Bright orangey sharp transparent crystals to 4 mm in size covering large areas of matrix with clear terminated crystals of DIOPSIDE to 6 mm in length, and rosettes of greenish crystallised CLINOCLORE. $3\frac{1}{2} \times 3 \times 2''$, £16.00
- 53. HEMATITE variety PENCIL ORE. Hodbarrow Mine, Millom, Cumberland. Reddish-brown fibrous mass with a smooth upper surface. $4 \times 3\frac{1}{2} \times 2\frac{1}{2}''$, £16.00
- 54. HEMIMORPHITE. Mina Ojuela, Mapimi, Mexico. Lustrous sharp terminated colourless crystals to $\frac{1}{2}''$ in length scattered and intergrown all over limonite matrix with creamy-white rhombic crystals of Calcite to $\frac{1}{4}''$ in size. $3 \times 2''$, £8.00
- 55. JALPAITE. Tomsk, Siberia, Russia. Very rich tarnished metallic grey mass with NATIVE SILVER in association. $1\frac{1}{2} \times 1 \times 2''$, £18.00
- 56. LEADHILLITE. Tsumeb, Otavi, S.W. Africa. Part of a very large creamy coloured composite crystal with some good faces. A little crystallised mimetite attached in places. $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}''$, £42.00
- 57. LEPIDOCROCITE. Great Perran Iron lode, Perranzabuloe, Cornwall. Reddish-brown fibrous crystallised thick veins cutting limonite matrix, with a 2" cavity on one side showing a slightly irridescent surface on botryoidal and crystallised lepidocrocite. $4 \times 2\frac{1}{2} \times 1\frac{3}{4}''$, £12.00
- 58. LIROCONITE. Wheal Gorland, St. Day, Cornwall. Sharp bright greenish-blue crystals to 2 mm in size covering areas of matrix with crystalline patches of clinoclase. $2\frac{1}{2} \times 2\frac{1}{4}''$, £23.00
- 59. MACKAYITE. Moctezuma, Sonora, Mexico. Light greenish patches on and in matrix. Specimen A: $2 \times 1\frac{1}{2} \times 1\frac{1}{4}''$, £3.50p. Specimen B: $1\frac{1}{4} \times 1\frac{1}{4} \times 1''$, £1.25p
- 60. MAGNETITE. Traversella, Piedmont, Italy. Sharp black octahedral crystals to 1 cm in size intergrown on matrix. $3\frac{1}{2} \times 2\frac{1}{2}''$, £14.00
- 61. MALACHITE. Browns Claim, Rum Jungle, N. Terr., Australia. Dark green botryoidal fibrous mass with a little creamy cerussite in association. $3 \times 2''$, £12.00
- 62. MARCASITE. Cammock Eals Mine, Weardale, Co. Durham. Bright brassy sharp crystals to 3 mm in size associated with sharp doubly terminated QUARTZ crystals to 1 cm in size, covering matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}''$, £3.75p
- 63. METACINNABAR. Mt. Diablo Mine, Contra Costa Co., California, U.S.A. Lustrous black crystals to 3 mm in size covering a $1\frac{1}{2} \times 1\frac{1}{4}''$ area of matrix. $2 \times 1\frac{1}{4}''$, £8.00
- 64. MIMETITE. Mina Ojuela, Mapimi, Mexico. Unusual pale yellowish botryoidal and cauliflower-like masses to 1 cm in size, thickly covering limonite matrix, and partly encrusted with small sharp clear hemimorphite and calcite crystals. $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}''$, £8.00
- 65. MIMETITE. Driggett Mine, Caldbeck Fells, Cumberland. Lustrous light green small curved crystals thickly covering quartz and barytes matrix. $3\frac{1}{4} \times 2\frac{1}{4} \times 1\frac{1}{2}''$, £6.00
- 66. MELONITE. Southern Cross Mine, Kalgoorlie, W. Australia. Rich bronzey masses with iron pyrites and quartz. $1\frac{1}{2} \times 1''$, £12.00
- 67. NATROCHALCITE. Chuiquicamata, Antofagasto, Chile. Rich light green masses associated with darker green ANTLERITE and a little gypsum. Specimen A: $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}''$, £8.00. Specimen B: $2\frac{1}{2} \times 1\frac{1}{2}''$, £6.00. Specimen C: $1\frac{1}{2} \times 1\frac{1}{4} \times 1''$, £4.75p
- 68. NATROJAROSITE. Laurion, Attica district, Greece. Small pale golden-brown crystals richly lining cavities in limonite matrix with minor Jarosite. Specimen A: $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}''$, £5.00. Specimen B: $2 \times 1\frac{1}{2} \times 1''$, £3.00
- 69. OLIVENITE. Wheal Gorland, St. Day, Cornwall. Lustrous dark olive-green sharp crystals to 2 mm in size richly lining numerous cavities to 1" in size in a cellular gossany matrix. $3 \times 2\frac{1}{2} \times 2''$, £18.00
- 70. PARATACAMITE. Levant Mine, Pendeen, Cornwall. Minute sparkling dark green crystals covering solid and party crystalline Chalcocite matrix. $2\frac{1}{2} \times 2 \times 1\frac{3}{4}''$, £12.00

71. PHARMACOSIDERITE. Wheal Unity, Gwennap, Cornwall. Small sharp dark green cubic crystals richly lining cavities to $\frac{1}{4}$ " in size in ferruginous matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £12.00
72. PLATTNERITE. Mina Ojuela, Mapimi, Mexico. Small bright black crystals scattered on limonite matrix with creamy crystallised calcite and patches of snowy-white crystallised hydrozincite. $2\frac{1}{2} \times 1\frac{1}{2} \times 1$ ", £6.00
73. PYRITES. San Cristobel Mine, Huancavelica, Peru. A sharp bright brassy striated cubic crystal $1\frac{1}{2} \times 1 \times 1$ " in size implanted on a small piece of creamy crystalline quartz matrix, with a few smaller cubic crystals attached on the upper face. Overall size $2\frac{1}{4} \times 2 \times 1\frac{1}{4}$ ", £24.00
74. PYRITES. Mt. Wellington Mine, Gwennap, Cornwall. Bright brassy intergrown cubic crystals to $\frac{1}{4}$ " in size covering areas of milky pyramidal Quartz crystals covering matrix. $4\frac{1}{2} \times 2\frac{1}{2}$ ", £11.00
75. PYRITES. East Pool Mine, Illogan, Cornwall. Bright brassy pyritohedral crystals to $\frac{1}{4}$ " in size thickly intergrown and completely covering a fist-like formation protruding from a quartz matrix, which is also covered in pyrites crystals. Fine display specimen. $6 \times 5 \times 4\frac{1}{2}$ ", £38.00
76. PYROMORPHITE. Mine les Farges, Creuse, France. Very choice lustrous orangey-brown hexagonal elongated crystals, some with hollow centres, to 8 mm in length, and thickly scattered over the surface, one end and the reverse side of a creamy-white and partly iron-stained group of bladed Barytes crystals. Fine display piece. $6 \times 3\frac{1}{2} \times 2\frac{1}{2}$ ", £68.00
77. PYROMORPHITE. Sylvester Mine, Zeehan, Tasmania, Australia. Lustrous deep green well formed crystals to 3 mm in size lining large cavities in cellular pyromorphite and limonite matrix. Specimen A: $3 \times 2\frac{1}{2} \times 2$ ", £9.00. Specimen B: $2\frac{1}{2} \times 2$ ", £7.00
78. PYROMORPHITE. Burgam Mine, near Shelve, Shropshire. Light green small sharp spiky crystals very richly covering a cellular quartz and pyrolusite matrix. $2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £12.00
79. QUARTZ. Seljord, Vestfold, Norway. Sharp, clear doubly terminated elongated single crystals. Each approx 2" in length by $\frac{1}{2}$ to $\frac{3}{4}$ " across the axis. £2.00 each.
80. QUARTZ. Aplite Quarry, Meldon, Devon. A group of water-clear sharp, elongated terminated interlocking crystals, the largest being $2\frac{1}{2}$ " in length by over $\frac{1}{4}$ " across the axis. $2\frac{1}{2} \times 2 \times 2$ ", £16.00
81. QUARTZ variety AMETHYST. Thunderbay, Ontario, Canada. Light purple sharp lustrous pyramidal crystals to over $\frac{1}{2}$ " in size completely covering matrix. $4 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £12.00
82. QUARTZ variety AGATE. Dulcote Quarry, Wells, Somerset. Beautifully banded and ringed light to dark red mass which has been cut and polished. $3 \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £6.00
83. SCHEELITE. Tong Wha, Chungchongpukdo Prov., Korea. Sharp lustrous light prangey-brown single octahedral crystal. $1 \times \frac{3}{4} \times \frac{3}{4}$ ", £18.00
84. SEMSEYITE. Bwlch Mine, Deganwy, Caernarvonshire, N. Wales. Rich light grey patches with bladed STIBNITE and traces of yellow Stibiconite on and in matrix. Specimen A: $3\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$ ", £8.00. Specimen B: $2\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.75p
85. NATIVE SILVER. Smuggler Mine, Aspen, Colorado, U.S.A. A narrow $\frac{1}{2}$ " wide quartz vein traversing greyish acanthite and sphalerite matrix, with cavities showing small curls and sprigs of bright Native Silver. $3\frac{1}{2} \times 2\frac{1}{2}$ ", £18.00
86. SMALTITE. Wheal Herland, Gwinnear, Cornwall. Rich greyish mass with quartz and a little siderite. $2 \times 1\frac{1}{2} \times 1\frac{1}{2}$ ", £5.50p
87. COBALTIAN SMITHSONITE. Sinaloa, Chihuahua, Mexico. Light purplish thick botryoidal masses covering both sides of matrix. Specimen A: $2\frac{1}{2} \times 2$ ", £4.75p. Specimen B: $2 \times 1\frac{1}{2} \times 1\frac{1}{4}$ ", £3.00
88. SPECULARITE. Florence Mine, Egremont, Cumberland. Large sharp bright black platy crystals to 1 cm in size scattered on sparkling clear quartz crystals covering hematite matrix. $3\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £18.00

89. SPHALERITE. Scaithole Mine, Allendale, Northumberland. Bright black sharp crystal to $\frac{1}{4}$ " in size thickly covering matrix. $3\frac{1}{2} \times 2 \times 1\frac{1}{2}$ ", £8.00
90. STIBICONITE after Stibnite. San Luis Potosi, Zacatecas, Mexico. A long well formed and terminated stibnite crystal completely replaced by creamy Stibiconite. $7\frac{1}{2}$ " long by 1" across the axis. £12.00
92. STIBNITE. Schemnitz, Czechoslovakia. Rich bright greyish bladed crystalline mass with creamy barytes. $3\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £8.00
93. STRONTIANITE. Settlingstones Mine, near Hexham, Northumberland. Pale greenish fibrous crystalline masses in barytes matrix. Specimen A: $3\frac{1}{4} \times 2\frac{1}{2} \times 1\frac{3}{4}$ ", £7.00. Specimen B: $2\frac{1}{4} \times 2 \times 1\frac{1}{2}$ ", £3.50p
94. TENNANTITE. Tsumeb, Otavi, S.W. Africa. A sharp greyish twinned crystal $\frac{1}{2} \times \frac{1}{2}$ " in size implanted on milky quartz crystals on quartzose matrix. $2\frac{1}{2} \times 2 \times 1\frac{1}{4}$ ", £12.00
95. TENNANTITE. Cooks Kitchen Mine, Illogan, Cornwall. Small bright silvery-grey crystals covering large areas of chalcopyrite matrix. $1\frac{3}{4} \times 1\frac{1}{4} \times 1\frac{1}{4}$ ", £9.00
96. TETRAHEDRITE. CastroVirreyna Mine, near Lima, Peru. Choice bright silvery-grey sharp tetrahedral crystals to nearly $\frac{3}{4}$ " in size dotted on small spiky Quartz crystals together with a little crystallised Pyrites and translucent sharp dark greenish-yellow SPHALERITE crystals to $\frac{3}{4}$ " in size, covering matrix. $3\frac{3}{4} \times 3 \times 2\frac{1}{4}$ ", £46.00
97. TOPAZ. Lundy Island, Bristol Channel. Sharp colourless terminated crystals to 4 mm in size scattered on granite matrix with quartz crystals and crystal sections. $1\frac{1}{2} \times 1\frac{1}{2}$ ", £4.75p
98. WARDITE. Rapid Creek, Yukon, Canada. Sharp lustrous creamy coloured crystals to 4 mm in size thickly covering matrix. $1\frac{3}{4} \times 1\frac{1}{4}$ ", £14.00
99. WAVELLITE. Highdown Quarry, Filleigh, Devon. Specimen A: Very choice complete pale creamy to yellowish hemispherical masses with a crystalline surface to over $\frac{1}{2}$ " in diameter, together with broken masses showing a lovely internal radiating structure, scattered on a dark slate matrix. $3\frac{1}{2} \times 2\frac{3}{4} \times 1\frac{3}{4}$ ", £17.00. Specimen B: Small hemispherical masses to 4 mm in diameter, and large radiating broken masses to 1" in diameter covering large areas of slate matrix. $4\frac{1}{2} \times 1\frac{3}{4}$ ", £9.00
100. WOLFRAMITE. East Pool Mine, Illogan, Cornwall. Rich bright black bladed heavy mass with golden chalcopyrite and a little quartz in association. $3 \times 2 \times 1\frac{1}{2}$ ", £4.75p
101. ZINKENITE. San Jose Mine, Oruro, Bolivia. Bright greyish bladed crystals to 5 mm in length richly covering matrix with a little quartz. 2×1 ", £14.00
-